

2020 Florida Youth Substance Abuse Survey

Calhoun County Data Tables

Table 1. Major demographic characteristics of surveyed Calhoun County and Florida Statewide youth, 2020

	Calhoun County		Florida Statewide	
	N	%	N	%
Sex				
Female	185	49.9	25,191	48.4
Male	184	49.6	26,328	50.5
Race/Ethnic group				
African American	34	9.2	11,284	21.7
American Indian	8	2.2	491	0.9
Asian	4	1.1	671	1.3
Hispanic/Latino	12	3.2	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	54	14.6	7,227	13.9
White, non-Hispanic	257	69.3	20,904	40.1
Age				
10	2	0.5	44	0.1
11	22	5.9	3,151	6.0
12	55	14.8	7,124	13.7
13	63	17.0	7,698	14.8
14	71	19.1	7,616	14.6
15	64	17.3	7,582	14.6
16	47	12.7	7,502	14.4
17	32	8.6	7,073	13.6
18	14	3.8	3,807	7.3
19 or older	1	0.3	394	0.8
Grade				
6th	64	17.3	7,718	14.8
7th	67	18.1	7,555	14.5
8th	59	15.9	7,632	14.6
9th	74	19.9	7,668	14.7
10th	47	12.7	7,481	14.4
11th	32	8.6	7,117	13.7
12th	28	7.5	6,923	13.3
Overall Middle School	190	51.2	22,904	44.0
Overall High School	181	48.8	29,189	56.0
Total	371	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Calhoun County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	24.9	41.3	37.5	29.3	26.8	41.9	33.4	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	16.8	18.5	15.3	--	19.3	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	19.3	25.0	24.5	19.9	19.4	25.6	22.2	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	21.7	37.2	34.4	25.3	25.3	37.1	29.9	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	11.0	17.7	17.7	11.1	13.4	15.8	14.5	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	10.2	27.3	20.9	17.3	11.5	29.1	19.2	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	5.0	6.8	3.3	--	6.8	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	12.7	8.8	13.8	7.6	11.3	9.2	10.7	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	1.3	2.9	1.6	2.7	2.1	2.6	2.2	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	2.4	2.5	0.9	4.1	2.4	2.9	2.5	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.4	1.4	0.5	1.3	0.8	1.1	0.9	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.3	3.8	1.9	3.3	1.7	4.2	2.6	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.8	1.0	1.2	0.6	1.2	0.7	0.9	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	4.2	5.7	5.4	4.6	5.1	5.0	5.0	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.0	2.9	3.9	2.0	3.1	2.5	3.0	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	3.8	3.9	5.0	2.6	4.1	4.1	3.8	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	6.2	2.1	5.5	2.6	5.8	2.4	4.1	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.8	1.0	0.6	--	0.4	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	24.8	35.2	32.7	27.5	24.1	39.5	30.1	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	19.3	17.8	21.4	15.7	17.6	19.6	18.5	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	9.3	13.1	10.5	12.0	10.4	12.0	11.3	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	33.9	48.0	43.1	39.2	34.3	51.1	41.2	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	9.4	6.5	5.9	9.9	8.0	8.9	7.9	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Calhoun County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	12.7	24.4	21.2	16.4	13.1	26.0	18.8	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	9.0	17.0	16.6	9.8	8.8	18.5	13.1	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	8.0	8.8	11.1	5.5	6.9	9.0	8.4	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	10.4	19.2	21.1	9.1	11.0	19.6	15.0	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	4.5	8.0	9.7	3.0	5.3	7.4	6.3	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	6.0	12.1	10.6	7.9	5.7	13.4	9.2	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.0	0.9	1.1	--	1.3	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	8.8	3.2	7.7	4.1	6.7	4.6	5.9	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.3	1.4	0.8	1.0	0.8	1.2	0.9	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	1.8	1.5	0.3	3.1	1.7	1.9	1.7	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.4	1.2	0.8	0.8	0.8	0.9	0.8	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.6	2.0	0.8	1.8	0.5	2.6	1.3	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.8	0.5	1.2	0.0	1.2	0.0	0.6	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.2	0.7	0.2	0.7	0.2	0.9	0.5	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	4.2	1.4	3.3	2.3	2.6	3.4	2.8	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.3	1.4	1.5	0.0	0.2	1.8	0.9	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	2.8	0.0	1.1	1.6	1.6	1.2	1.3	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	14.7	18.1	19.0	13.8	12.9	21.9	16.5	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	12.6	7.4	11.9	7.7	9.8	10.4	9.9	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	3.1	13.5	9.2	7.8	4.6	12.5	8.5	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	17.7	31.6	28.1	21.6	17.4	34.4	24.9	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	5.2	7.2	7.0	5.3	4.4	8.4	6.2	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Calhoun County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.3	65.7	53.9	36.4	59.4	48.5	26.4	50.6	39.4	26.9	57.5	44.3	27.9	42.0	35.6	24.9	41.3	33.4
Blacking Out	--	--	--	--	--	--	--	18.8	--	--	18.7	--	--	17.7	--	--	16.8	--
Cigarettes	24.7	44.5	35.7	20.2	38.7	29.9	17.5	30.3	24.3	14.9	37.1	27.2	12.5	26.8	20.4	19.3	25.0	22.2
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	21.7	37.2	29.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	11.0	17.7	14.5
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	13.7	42.0	29.5	13.6	39.7	27.8	--	--	--
Marijuana or Hashish	12.3	35.4	25.1	9.4	28.3	19.4	7.8	28.7	19.0	11.6	36.2	25.4	5.8	28.7	18.5	10.2	27.3	19.2
Synthetic Marijuana	--	--	--	--	11.9	--	--	11.3	--	--	9.8	--	--	6.7	--	--	5.0	--
Inhalants	9.1	10.8	10.0	11.6	8.0	9.7	4.8	5.5	5.2	8.0	5.6	6.7	5.9	7.3	6.7	12.7	8.8	10.7
Club Drugs	0.9	3.3	2.2	1.7	3.6	2.7	0.0	2.1	1.1	0.8	2.2	1.6	0.6	1.8	1.3	1.3	2.9	2.2
LSD, PCP or Mushrooms	1.8	4.7	3.4	1.0	2.8	2.0	0.2	3.6	2.0	1.3	1.9	1.6	1.7	2.8	2.3	2.4	2.5	2.5
Methamphetamine	1.0	3.1	2.1	1.4	1.5	1.4	0.3	0.7	0.5	1.4	0.5	0.9	0.8	3.3	2.2	0.4	1.4	0.9
Cocaine or Crack	1.0	4.9	3.1	1.4	3.3	2.4	0.7	4.5	2.8	2.2	3.7	3.1	1.3	4.5	3.1	1.3	3.8	2.6
Heroin	0.4	0.4	0.4	0.7	0.0	0.3	0.0	1.0	0.5	0.0	0.0	0.0	0.8	0.0	0.4	0.8	1.0	0.9
Prescription Depressants	2.4	7.6	5.3	2.9	7.8	5.5	1.1	6.8	4.2	3.4	7.8	5.8	2.4	8.7	5.8	4.2	5.7	5.0
Prescription Pain Relievers	4.4	12.7	9.0	2.4	11.2	7.1	1.7	3.8	2.9	3.9	7.3	5.8	1.3	7.9	4.9	3.0	2.9	3.0
Prescription Amphetamines	2.3	3.0	2.7	1.0	6.0	3.6	0.0	9.8	5.2	2.1	5.9	4.2	0.7	5.4	3.3	3.8	3.9	3.8
Over-the-Counter Drugs	2.2	6.7	4.7	2.7	8.2	5.6	2.3	6.5	4.5	3.6	6.3	5.1	5.1	3.2	4.1	6.2	2.1	4.1
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	0.3	--	--	1.7	--	--	0.8	--
Any illicit drug	21.9	41.9	33.0	19.9	30.8	25.6	16.2	32.1	24.7	18.1	38.4	29.4	12.5	33.1	23.8	24.8	35.2	30.1
Any illicit drug other than marijuana	14.7	24.4	20.1	14.2	20.0	17.3	10.4	16.9	13.9	14.3	16.1	15.3	10.1	17.6	14.2	19.3	17.8	18.5
Alcohol only	20.9	27.6	24.6	21.7	31.4	26.8	16.5	24.2	20.7	13.2	22.9	18.7	19.7	18.4	19.0	9.3	13.1	11.3
Alcohol or any illicit drug	42.5	69.4	57.4	41.5	61.9	52.2	31.9	56.3	44.9	30.7	60.9	47.5	31.5	51.2	42.3	33.9	48.0	41.2
Any illicit drug, but no alcohol	3.5	4.0	3.8	5.2	2.5	3.8	6.1	5.5	5.8	4.2	3.3	3.7	4.0	9.1	6.8	9.4	6.5	7.9

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Calhoun County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.3	41.1	32.8	18.3	33.1	26.1	10.7	25.1	18.4	9.5	30.6	21.4	10.8	24.3	18.2	12.7	24.4	18.8
Binge Drinking	9.4	21.1	15.9	9.7	18.8	14.5	2.9	9.7	6.6	5.5	11.3	8.8	5.3	13.9	10.1	9.0	17.0	13.1
Cigarettes	4.7	13.8	9.7	6.8	16.5	11.9	3.7	8.3	6.1	5.2	14.0	10.1	2.3	12.4	7.8	8.0	8.8	8.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.4	19.2	15.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	4.5	8.0	6.3
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	5.6	18.7	12.9	4.3	24.7	15.4	--	--	--
Marijuana or Hashish	6.6	17.5	12.6	5.5	13.0	9.5	2.7	12.8	8.2	4.4	18.8	12.5	4.3	12.5	8.9	6.0	12.1	9.2
Synthetic Marijuana	--	--	--	--	4.9	--	--	2.5	--	--	1.7	--	--	1.0	--	--	1.0	--
Inhalants	4.5	5.5	5.0	3.9	1.0	2.3	1.1	0.7	0.9	2.6	0.3	1.3	1.8	1.9	1.8	8.8	3.2	5.9
Club Drugs	0.4	1.4	1.0	0.7	0.0	0.3	0.7	0.2	0.4	0.5	0.0	0.2	0.7	0.4	0.5	0.3	1.4	0.9
LSD, PCP or Mushrooms	0.9	2.2	1.6	0.4	0.0	0.2	0.2	0.0	0.1	0.5	0.0	0.2	0.9	0.8	0.8	1.8	1.5	1.7
Methamphetamine	1.0	0.9	0.9	0.4	1.5	1.0	0.3	0.7	0.5	1.0	0.0	0.4	0.9	1.5	1.2	0.4	1.2	0.8
Cocaine or Crack	0.5	0.9	0.7	0.4	0.9	0.6	0.4	2.5	1.5	0.5	0.9	0.7	0.9	0.4	0.6	0.6	2.0	1.3
Heroin	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.6
Prescription Depressants	1.0	2.5	1.8	1.5	4.6	3.2	0.4	3.7	2.2	1.3	4.4	3.1	1.4	3.3	2.4	0.2	0.7	0.5
Prescription Pain Relievers	2.3	5.1	3.8	1.4	4.2	2.9	0.9	2.5	1.8	1.7	1.7	1.7	0.9	2.6	1.8	4.2	1.4	2.8
Prescription Amphetamines	1.8	0.4	1.0	0.7	4.3	2.6	0.0	5.9	3.2	0.5	2.0	1.3	0.0	0.7	0.4	0.3	1.4	0.9
Over-the-Counter Drugs	0.5	2.7	1.7	1.0	4.0	2.6	2.1	4.2	3.2	1.3	4.1	2.9	2.2	2.4	2.3	2.8	0.0	1.3
Any illicit drug	12.7	23.6	18.7	10.8	16.8	14.0	7.3	16.7	12.3	6.8	21.5	15.1	6.3	18.1	12.9	14.7	18.1	16.5
Any illicit drug other than marijuana	8.0	11.5	9.9	6.5	10.0	8.3	5.3	11.5	8.6	5.3	8.4	7.0	4.6	9.7	7.4	12.6	7.4	9.9
Alcohol only	14.5	23.7	19.6	12.9	19.5	16.4	6.2	15.6	11.3	6.3	17.7	12.8	8.7	13.8	11.6	3.1	13.5	8.5
Alcohol or any illicit drug	26.4	47.4	38.1	23.9	35.8	30.2	13.3	32.0	23.3	13.3	39.0	27.6	14.1	30.9	23.4	17.7	31.6	24.9
Any illicit drug, but no alcohol	4.3	6.6	5.6	5.9	3.1	4.4	2.4	7.1	4.9	4.1	8.6	6.7	3.6	6.3	5.1	5.2	7.2	6.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Calhoun County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	17.9	21.1	14.4	--	17.6	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	5.6	4.1	7.1	--	6.2	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	14.4	17.5	11.4	--	14.8	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	9.3	8.1	9.9	--	8.5	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	54.9	42.9	46.4	51.3	50.3	46.1	48.7	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	66.1	55.1	60.5	60.7	63.7	57.5	60.5	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.7	68.4	69.0	67.2	69.8	66.3	68.1	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	59.9	47.3	52.9	54.3	58.7	46.9	53.4	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	64.2	47.1	53.4	57.7	61.0	48.8	55.4	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	50.7	33.7	38.4	45.8	47.9	34.2	42.0	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	39.5	25.0	31.9	32.4	36.9	25.6	32.1	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	76.8	71.6	75.8	72.6	77.3	70.1	74.1	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	90.9	85.9	84.8	91.6	90.8	89.3	88.3	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	84.7	74.3	76.1	82.5	84.0	75.8	79.3	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	87.4	71.3	77.3	80.9	85.6	72.4	79.0	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	88.6	77.0	76.3	88.8	85.3	79.2	82.5	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	90.8	78.3	80.2	88.5	88.1	79.8	84.3	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	96.5	96.2	97.0	95.7	96.7	97.0	96.4	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	82.4	73.6	75.9	79.6	82.9	70.1	77.8	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	88.6	79.9	83.4	84.7	89.4	78.8	84.1	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	85.6	65.8	73.2	77.5	84.2	64.3	75.3	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	84.0	70.5	71.2	82.6	82.2	70.0	77.0	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	85.7	74.8	79.0	81.2	85.3	73.5	80.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.1	88.0	91.7	89.1	93.3	87.3	90.4	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Calhoun County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	33.8	--	--	23.9	--	--	21.2	--	--	29.1	--	--	17.5	--	--	17.9	--
Drink monthly	--	7.5	--	--	9.7	--	--	3.5	--	--	5.2	--	--	0.9	--	--	5.6	--
Smoke cigarettes	--	28.0	--	--	24.2	--	--	18.4	--	--	23.5	--	--	14.7	--	--	14.4	--
Smoke marijuana	--	14.5	--	--	13.8	--	--	12.5	--	--	13.3	--	--	6.6	--	--	9.3	--
Great risk of harm																		
Daily alcohol use	49.8	38.1	43.3	41.0	40.3	40.7	47.6	37.7	42.3	53.6	39.7	45.9	46.0	36.4	40.7	54.9	42.9	48.7
5+ drinks daily	--	--	--	--	--	--	53.6	52.6	53.1	64.4	50.2	56.5	60.8	49.7	54.6	66.1	55.1	60.5
Daily cigarette use	67.0	65.5	66.2	60.8	62.9	61.9	57.8	62.1	60.1	67.6	64.4	65.8	58.8	60.1	59.5	67.7	68.4	68.1
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	59.9	47.3	53.4
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	64.2	47.1	55.4
Marijuana weekly*	--	--	--	--	--	--	55.6	41.7	48.1	59.1	33.9	45.2	48.0	28.0	37.0	50.7	33.7	42.0
Try marijuana	50.2	26.1	36.9	38.6	34.4	36.4	43.9	32.0	37.5	38.5	23.1	30.0	36.9	21.3	28.4	39.5	25.0	32.1
Prescription drugs	--	--	--	--	65.8	65.8	69.8	71.3	70.6	74.1	71.9	72.9	67.6	63.8	65.5	76.8	71.6	74.1
Think it wrong																		
Smoke cigarettes	86.3	74.5	79.8	88.5	75.5	81.6	90.0	81.3	85.3	91.0	77.1	83.3	92.8	77.0	84.1	90.9	85.9	88.3
Drink regularly	79.1	55.8	66.3	77.7	61.6	69.1	86.4	65.9	75.3	83.7	61.2	71.1	88.9	62.2	74.3	84.7	74.3	79.3
Smoke marijuana	87.6	72.8	79.5	90.3	77.5	83.5	89.4	76.3	82.3	87.7	65.1	75.0	86.9	63.7	74.2	87.4	71.3	79.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.6	77.0	82.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.8	78.3	84.3
Other illicit drugs	95.9	96.5	96.2	96.2	94.1	95.1	98.3	94.7	96.4	97.0	94.8	95.7	96.1	95.0	95.5	96.5	96.2	96.4
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	87.1	72.1	79.0	89.4	74.7	81.3	89.8	67.5	77.6	82.4	73.6	77.8
Smoke tobacco	--	--	--	--	--	--	93.5	80.1	86.3	90.2	75.8	82.2	95.4	73.7	83.5	88.6	79.9	84.1
Smoke marijuana	--	--	--	--	--	--	90.8	72.7	81.0	89.3	64.8	75.7	86.9	60.0	72.2	85.6	65.8	75.3
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	84.0	70.5	77.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	85.7	74.8	80.0
Prescription drugs	--	--	--	--	--	--	97.7	87.7	92.3	95.1	89.3	91.8	93.3	87.3	90.1	93.1	88.0	90.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Calhoun County and Florida Statewide youth, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	5.6	10.2	0.0	--	5.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	5.1	0.0	11.5	--	7.4	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	27.5	30.9	23.2	--	36.6	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	37.8	41.5	33.1	--	28.0	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	8.5	0.0	19.2	--	6.6	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	5.0	3.9	6.3	--	7.1	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	10.5	13.6	6.6	--	9.3	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Calhoun County and Florida Statewide youth, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	37.6	26.7	56.8	--	33.3	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	41.5	50.4	25.9	--	51.4	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	3.3	0.0	9.2	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	4.6	7.2	0.0	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	2.2	3.4	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	10.8	12.3	8.2	--	15.4	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Calhoun County and Florida Statewide youth, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	24.3	22.5	27.6	--	13.3	--	--	31.9	34.7	28.6	--	32.9	--
2	--	8.1	10.2	4.3	--	5.7	--	--	21.8	24.0	19.2	--	21.1	--
3	--	11.6	9.8	14.9	--	14.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	15.0	10.3	23.5	--	10.7	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	40.9	47.2	29.7	--	56.2	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Calhoun County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.6	5.1	4.9	3.9	4.9	4.4	4.4	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	5.4	7.3	6.3	6.2	6.3	7.5	6.4	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	3.3	1.0	1.6	2.6	3.0	1.2	2.1	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Calhoun County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	10.2	9.2	6.4	12.9	11.2	8.1	9.7	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	1.3	1.0	1.0	1.2	1.7	0.6	1.1	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.9	1.9	0.0	2.8	1.5	1.5	1.4	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.2	0.7	0.0	1.9	1.1	0.9	0.9	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.7	0.8	0.5	1.0	1.1	0.4	0.8	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	12.2	7.4	9.3	10.1	11.8	7.2	9.7	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	9.6	4.7	6.1	8.0	9.8	4.4	7.0	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Calhoun County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.7	5.5	6.5	7.8	6.7	7.2	7.5	10.7	9.2	6.5	9.5	8.2	8.2	5.7	6.8	10.2	9.2	9.7
Selling drugs	3.8	6.3	5.2	0.0	6.6	3.5	0.7	7.6	4.4	2.3	8.5	5.8	3.6	5.2	4.5	1.3	1.0	1.1
Attempting to steal a vehicle	1.3	2.0	1.7	0.7	2.7	1.8	1.1	3.5	2.3	0.9	1.4	1.2	1.4	0.8	1.1	0.9	1.9	1.4
Being arrested	1.9	2.5	2.2	3.1	4.5	3.9	0.2	3.0	1.7	0.5	2.2	1.5	4.0	1.4	2.6	1.2	0.7	0.9
Taking a handgun to school	0.4	1.2	0.8	0.3	0.9	0.7	0.0	1.1	0.6	0.8	0.5	0.6	0.0	2.1	1.2	0.7	0.8	0.8
Getting suspended	15.6	16.4	16.1	10.0	15.9	13.1	13.0	11.3	12.1	11.1	9.3	10.1	8.5	6.9	7.6	12.2	7.4	9.7
Attacking someone with intent to harm	7.6	9.6	8.7	6.3	9.3	7.9	2.5	6.4	4.5	9.0	5.8	7.2	5.9	8.6	7.4	9.6	4.7	7.0

Table 14. Percentages of Calhoun County and Florida Statewide youth who reported symptoms of depression, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	29.6	35.8	45.4	20.2	32.0	33.5	32.8	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	45.3	54.2	59.8	40.1	46.2	55.2	49.9	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	28.2	37.0	41.9	23.5	29.9	37.5	32.8	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	48.6	54.7	58.9	44.8	48.6	55.7	51.8	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Calhoun County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	14.0	12.3	21.1	5.1	13.0	14.1	13.1	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	36.9	24.3	30.5	29.7	38.5	24.0	30.3	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	69.1	50.0	58.4	59.7	68.0	52.0	59.1	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	32.1	31.3	42.6	20.6	31.8	33.3	31.7	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	22.1	11.8	14.9	18.1	23.2	11.2	16.7	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	31.0	24.8	26.9	28.2	30.8	23.1	27.7	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	12.6	13.3	16.0	9.7	12.8	13.3	12.9	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Calhoun County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	16.4	24.6	7.9	--	17.5	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	9.1	10.9	6.8	--	7.9	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	7.2	10.7	3.7	--	5.1	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	45.0	46.9	42.9	--	44.2	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	12.1	15.8	8.5	--	12.4	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	32.1	36.7	27.0	--	31.5	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	36.4	47.5	25.1	--	39.2	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	34.7	31.0	38.0	--	31.9	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	30.4	39.2	21.5	--	31.2	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	7.8	11.4	4.3	--	6.9	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Calhoun County and Florida Statewide high school youth, 2020

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	31.6	26.2	37.0	--	29.9	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	17.2	15.3	19.0	--	17.3	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	11.7	12.5	11.0	--	12.9	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	12.9	14.6	11.3	--	15.0	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.1	3.9	10.1	--	6.8	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	8.0	10.9	5.2	--	8.6	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.5	2.7	4.4	--	4.1	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	5.4	8.5	1.9	--	2.8	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.9	3.9	0.0	--	1.9	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.7	1.5	0.0	--	0.7	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Calhoun County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	17.1	28.0	24.6	21.2	19.0	30.0	22.9	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	21.1	24.7	26.2	19.7	22.4	24.5	23.0	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	28.0	30.3	33.1	25.2	30.2	28.6	29.2	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	22.5	21.7	22.7	21.2	22.0	23.0	22.0	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	35.5	31.3	33.3	33.2	34.7	32.7	33.3	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	48.6	41.3	54.8	34.6	49.4	40.5	44.7	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “--” indicates that data are not available.

Table 19. Percentages of Calhoun County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Calhoun County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	60.4	51.9	53.4	58.2	59.1	50.7	56.0	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	34.3	22.6	26.5	29.8	33.7	21.3	28.2	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	1.2	4.7	4.2	1.7	1.8	5.0	3.0	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	37.1	49.1	58.1	28.9	42.2	45.3	43.4	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	8.4	11.9	13.5	6.9	8.5	11.5	10.3	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Calhoun County and Florida Statewide youth, 2020

	Calhoun County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	23.4	31.1	15.7	--	21.9	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	22.6	25.4	20.1	--	20.5	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	9.0	11.2	7.0	--	8.7	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	11.6	14.7	8.7	--	12.4	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Calhoun County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	20.1	--	--	18.2	--	--	18.2	--	--	19.9	--	--	23.4	--
Marijuana	--	--	--	--	15.9	--	--	15.6	--	--	25.2	--	--	18.7	--	--	22.6	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	6.5	--	--	3.8	--	--	6.3	--	--	6.9	--	--	9.0	--
Marijuana	--	--	--	--	10.2	--	--	8.2	--	--	12.4	--	--	8.8	--	--	11.6	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Calhoun County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Calhoun County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	60	58	57	57	59	54
	Family Rewards for Prosocial Involvement	52	57	50	53	54	55
School	School Opportunities for Prosocial Involvement	60	62	51	60	57	60
	School Rewards for Prosocial Involvement	65	59	44	54	53	58
Peer and Individual	Religiosity	63	64	42	52	56	62
Average Prevalence Rate		60	60	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Calhoun County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Calhoun County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	41	32	41	32	42	42
	Perceived Availability of Drugs	41	22	34	20	45	45
	Perceived Availability of Handguns	39	50	23	31	25	42
Family	Poor Family Management	43	31	43	35	44	45
	Family Conflict	37	34	42	34	42	37
School	Poor Academic Performance	50	40	46	46	45	48
	Lack of Commitment to School	60	60	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	38	49	38	40	46
	Favorable Attitudes toward ATOD Use	30	28	35	32	39	45
	Early Initiation of Drug Use	34	26	24	17	41	46
Average Prevalence Rate		41	36	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Calhoun County, 2010 to 2020

Domain	Scale	Calhoun County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	59	68	61	59	57	60
	Family Rewards for Prosocial Involvement	53	56	57	56	50	52
School	School Opportunities for Prosocial Involvement	52	52	52	48	62	60
	School Rewards for Prosocial Involvement	59	60	63	67	66	65
Peer and Individual	Religiosity	68	66	64	64	59	63
Average Prevalence Rate		58	60	59	59	59	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Calhoun County, 2010 to 2020

Domain	Scale	Calhoun County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	51	44	39	38	47	41
	Perceived Availability of Drugs	51	45	32	35	28	41
	Perceived Availability of Handguns	45	46	31	34	26	39
Family	Poor Family Management	45	45	42	41	39	43
	Family Conflict	44	32	35	32	34	37
School	Poor Academic Performance	45	36	46	43	52	50
	Lack of Commitment to School	58	54	51	51	60	60
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	43	46	35	34	34	38
	Favorable Attitudes toward ATOD Use	40	45	38	36	36	30
	Early Initiation of Drug Use	43	38	28	26	28	34
Average Prevalence Rate		47	43	38	37	38	41

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Calhoun County, 2010 to 2020

Domain	Scale	Calhoun County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	52	51	60	58	52	58
	Family Rewards for Prosocial Involvement	50	59	57	55	47	57
School	School Opportunities for Prosocial Involvement	61	56	60	68	68	62
	School Rewards for Prosocial Involvement	66	66	66	66	70	59
Peer and Individual	Religiosity	64	73	73	71	66	64
Average Prevalence Rate		59	61	63	64	61	60

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Calhoun County, 2010 to 2020

Domain	Scale	Calhoun County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	45	37	34	38	37	32
	Perceived Availability of Drugs	39	37	26	30	25	22
	Perceived Availability of Handguns	55	61	59	59	47	50
Family	Poor Family Management	42	37	34	38	35	31
	Family Conflict	40	32	28	29	39	34
School	Poor Academic Performance	44	41	41	43	47	40
	Lack of Commitment to School	53	52	53	56	61	60
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	39	41	29	35	38	38
	Favorable Attitudes toward ATOD Use	36	32	32	42	36	28
	Early Initiation of Drug Use	43	33	27	35	24	26
Average Prevalence Rate		44	40	36	41	39	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.