

2020 Florida Youth Substance Abuse Survey

Franklin County Data Tables

Table 1. Major demographic characteristics of surveyed Franklin County and Florida Statewide youth, 2020

	Franklin County		Florida Statewide	
	N	%	N	%
Sex				
Female	70	51.9	25,191	48.4
Male	65	48.1	26,328	50.5
Race/Ethnic group				
African American	18	13.3	11,284	21.7
American Indian	5	3.7	491	0.9
Asian	1	0.7	671	1.3
Hispanic/Latino	2	1.5	11,091	21.3
Native Hawaiian/Pacific Islander	0	0.0	68	0.1
Other/Multiple	26	19.3	7,227	13.9
White, non-Hispanic	83	61.5	20,904	40.1
Age				
10	0	0.0	44	0.1
11	5	3.7	3,151	6.0
12	29	21.5	7,124	13.7
13	32	23.7	7,698	14.8
14	12	8.9	7,616	14.6
15	19	14.1	7,582	14.6
16	17	12.6	7,502	14.4
17	13	9.6	7,073	13.6
18	6	4.4	3,807	7.3
19 or older	2	1.5	394	0.8
Grade				
6th	19	14.1	7,718	14.8
7th	36	26.7	7,555	14.5
8th	27	20.0	7,632	14.6
9th	10	7.4	7,668	14.7
10th	19	14.1	7,481	14.4
11th	11	8.1	7,117	13.7
12th	13	9.6	6,923	13.3
Overall Middle School	82	60.7	22,904	44.0
Overall High School	53	39.3	29,189	56.0
Total	135	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Franklin County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	21.7	46.5	33.1	33.2	19.6	44.8	33.2	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	27.7	9.9	49.3	--	31.5	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	13.3	39.2	21.2	29.5	15.2	37.7	25.3	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	14.3	49.6	31.1	29.6	12.9	47.1	30.4	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	12.0	37.6	24.1	23.1	10.5	35.2	23.6	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	15.8	46.9	30.2	30.1	14.6	45.3	30.2	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	11.9	10.6	13.9	--	12.7	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	2.0	7.1	5.0	3.6	2.1	7.8	4.4	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.0	4.0	0.0	3.9	0.0	2.7	1.8	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.0	5.3	0.0	5.3	0.0	4.2	2.4	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	1.5	3.7	0.0	5.4	1.6	2.4	2.5	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.0	5.8	3.7	1.4	0.0	4.7	2.6	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	0.0	16.0	2.5	12.9	0.0	15.8	7.3	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.7	4.8	0.0	9.1	3.9	3.7	4.2	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	0.4	14.4	4.0	9.9	0.4	13.2	6.7	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	1.4	8.5	4.1	5.3	1.5	6.8	4.6	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.0	0.0	0.0	--	0.0	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	20.0	58.8	39.1	36.4	19.0	57.4	37.8	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	9.0	30.8	11.8	27.1	9.4	31.0	18.9	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	10.6	6.4	7.9	9.6	9.9	7.6	8.7	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	29.7	66.6	47.0	46.6	27.9	66.5	46.8	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	8.4	21.0	13.8	14.6	8.8	22.7	14.2	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Franklin County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	9.1	20.9	12.8	16.3	9.5	21.3	14.5	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	7.6	15.5	8.2	14.5	7.5	15.9	11.2	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	5.7	11.7	6.6	10.4	3.6	13.3	8.5	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	7.7	25.8	15.3	16.2	5.9	22.2	15.7	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	8.9	22.6	15.5	14.3	7.2	18.8	14.9	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	10.1	32.0	17.6	23.1	8.5	29.2	20.2	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	4.0	4.1	4.0	--	3.1	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.0	1.6	0.0	1.5	0.0	0.0	0.7	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.5	1.5	0.0	2.1	0.5	0.0	0.9	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	1.5	0.0	0.0	1.9	1.6	0.0	0.8	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.0	1.6	0.0	1.6	0.0	0.0	0.7	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.5	2.5	0.0	4.3	1.5	1.1	2.0	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.0	8.5	0.0	8.4	0.0	6.8	3.8	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.5	1.5	0.0	3.3	1.5	0.0	1.5	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	14.7	33.3	20.9	25.7	13.3	29.6	23.1	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	4.4	9.5	0.0	14.6	4.6	7.9	6.7	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	2.5	1.4	3.7	0.0	2.6	1.6	2.0	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	18.3	37.3	26.3	27.6	17.2	34.2	26.9	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	9.9	17.0	13.8	12.4	8.3	13.7	13.2	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Franklin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	47.1	73.8	60.6	43.5	75.0	58.9	26.4	70.8	47.4	40.8	59.1	50.3	23.2	43.3	34.0	21.7	46.5	33.2
Blacking Out	--	--	--	--	--	--	--	29.2	--	--	26.4	--	--	14.6	--	--	27.7	--
Cigarettes	32.3	47.4	40.0	29.7	52.0	40.6	24.8	54.0	38.7	21.1	42.0	31.6	15.2	24.7	20.3	13.3	39.2	25.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.3	49.6	30.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	12.0	37.6	23.6
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	24.4	41.5	33.1	27.7	32.0	30.0	--	--	--
Marijuana or Hashish	22.9	50.3	36.9	15.9	51.9	33.7	9.6	57.3	31.8	22.6	40.7	32.1	12.6	30.1	22.3	15.8	46.9	30.2
Synthetic Marijuana	--	--	--	--	21.3	--	--	25.9	--	--	11.0	--	--	1.5	--	--	11.9	--
Inhalants	18.3	18.7	18.5	15.4	9.6	12.6	9.7	16.8	13.0	7.7	9.1	8.4	15.3	10.3	12.6	2.0	7.1	4.4
Club Drugs	0.9	4.9	2.9	1.4	2.7	2.0	0.0	11.0	5.2	2.6	8.5	5.7	3.9	1.5	2.6	0.0	4.0	1.8
LSD, PCP or Mushrooms	0.9	2.2	1.6	1.4	7.7	4.5	0.0	9.4	4.4	5.2	9.8	7.5	0.0	0.8	0.4	0.0	5.3	2.4
Methamphetamine	2.3	4.8	3.6	1.7	0.8	1.2	0.0	4.4	2.1	0.0	2.5	1.3	3.9	0.8	2.2	1.5	3.7	2.5
Cocaine or Crack	1.1	9.4	5.3	2.1	6.1	4.1	0.0	14.8	7.0	0.0	3.7	1.9	2.5	0.8	1.6	0.0	5.8	2.6
Heroin	2.0	0.9	1.5	1.4	1.5	1.4	0.0	4.9	2.3	1.2	3.6	2.5	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	8.8	14.8	11.8	2.5	12.5	7.4	3.0	20.7	11.3	4.3	17.3	11.0	0.0	0.8	0.4	0.0	16.0	7.3
Prescription Pain Relievers	5.4	20.3	13.0	9.2	16.6	12.8	4.6	13.3	8.7	3.4	14.4	9.2	1.6	4.9	3.4	3.7	4.8	4.2
Prescription Amphetamines	3.0	20.0	11.5	6.6	13.2	9.8	1.8	7.3	4.4	3.9	15.1	9.8	0.0	1.9	1.1	0.4	14.4	6.7
Over-the-Counter Drugs	5.4	14.6	10.0	8.1	11.0	9.5	2.1	9.5	5.5	2.6	16.9	10.0	3.5	11.9	8.4	1.4	8.5	4.6
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	4.7	--	--	10.3	--	--	0.0	--
Any illicit drug	34.1	60.7	47.5	36.3	60.8	48.3	21.8	60.4	39.8	27.5	45.3	36.7	25.6	32.0	29.1	20.0	58.8	37.8
Any illicit drug other than marijuana	25.3	42.0	33.7	26.0	32.5	29.2	15.5	32.2	23.3	16.1	31.6	24.1	17.5	17.0	17.3	9.0	30.8	18.9
Alcohol only	15.6	15.7	15.7	16.5	20.1	18.3	14.1	18.8	16.3	17.9	17.9	17.9	16.7	11.4	13.9	10.6	6.4	8.7
Alcohol or any illicit drug	49.6	76.4	63.1	52.4	80.7	66.2	36.2	79.5	56.6	44.2	63.1	53.8	41.1	44.6	43.0	29.7	66.6	46.8
Any illicit drug, but no alcohol	2.1	2.7	2.4	8.6	5.5	7.1	10.4	8.9	9.7	5.6	3.7	4.6	18.4	1.6	9.3	8.4	21.0	14.2

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Franklin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.9	50.5	36.9	22.8	52.3	37.4	14.3	44.8	28.7	22.2	30.2	26.3	5.5	24.4	15.6	9.1	20.9	14.5
Binge Drinking	8.3	29.3	19.0	5.8	34.7	19.9	5.5	22.3	13.3	7.6	17.9	12.9	5.7	21.4	14.8	7.6	15.5	11.2
Cigarettes	10.6	19.1	15.0	5.6	21.5	13.4	1.2	19.6	10.0	6.0	22.0	14.1	2.9	10.5	7.0	5.7	11.7	8.5
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.7	25.8	15.7
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.9	22.6	14.9
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	7.0	11.5	9.3	10.5	22.1	16.6	--	--	--
Marijuana or Hashish	11.5	26.8	19.3	5.3	34.9	19.8	4.1	30.4	16.4	14.1	22.0	18.2	2.6	17.7	10.7	10.1	32.0	20.2
Synthetic Marijuana	--	--	--	--	9.2	--	--	6.6	--	--	4.0	--	--	6.7	--	--	4.0	--
Inhalants	7.6	2.2	4.8	7.9	1.2	4.6	3.4	8.6	5.9	3.5	3.8	3.7	0.0	6.7	3.6	0.0	0.0	0.0
Club Drugs	0.9	0.0	0.5	0.0	1.2	0.6	0.0	7.0	3.3	1.3	1.0	1.2	0.0	0.8	0.4	0.0	1.6	0.7
LSD, PCP or Mushrooms	0.0	5.0	2.6	0.7	0.7	0.7	0.0	4.5	2.1	1.5	3.5	2.5	0.0	0.8	0.4	0.5	1.5	0.9
Methamphetamine	1.3	0.0	0.6	1.0	0.0	0.5	0.0	2.1	1.0	0.0	0.0	0.0	0.0	0.8	0.4	1.5	0.0	0.8
Cocaine or Crack	0.0	0.0	0.0	1.5	2.8	2.1	0.0	8.6	4.1	0.0	1.6	0.8	0.0	0.8	0.4	0.0	0.0	0.0
Heroin	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.1	1.3	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Prescription Depressants	2.5	8.4	5.5	0.0	6.8	3.3	0.0	13.2	6.3	1.6	8.1	5.0	0.0	0.8	0.4	0.0	1.6	0.7
Prescription Pain Relievers	1.3	4.4	2.9	1.8	6.2	4.0	1.4	9.1	5.0	2.1	2.4	2.3	1.5	2.0	1.8	1.5	2.5	2.0
Prescription Amphetamines	1.2	4.9	3.1	2.0	3.5	2.7	0.0	5.0	2.3	0.0	2.4	1.2	0.0	2.0	1.1	0.0	8.5	3.8
Over-the-Counter Drugs	0.8	6.3	3.6	5.2	3.5	4.3	0.0	8.2	3.8	2.7	5.8	4.3	3.4	9.5	6.8	1.5	1.5	1.5
Any illicit drug	16.7	35.2	26.1	19.7	36.8	28.1	8.8	41.0	23.9	17.5	25.9	21.8	6.8	19.1	13.3	14.7	33.3	23.1
Any illicit drug other than marijuana	9.3	18.8	14.1	16.7	12.1	14.4	4.8	21.9	12.8	10.7	17.3	14.2	4.3	9.9	7.3	4.4	9.5	6.7
Alcohol only	10.5	17.9	14.3	14.1	23.8	18.9	8.4	16.5	12.2	6.1	8.8	7.6	5.6	8.7	7.3	2.5	1.4	2.0
Alcohol or any illicit drug	26.7	53.1	40.0	33.4	60.6	46.7	16.8	57.8	36.0	22.1	34.2	28.2	12.1	27.7	20.4	18.3	37.3	26.9
Any illicit drug, but no alcohol	4.1	2.6	3.3	10.4	8.3	9.4	2.8	13.4	7.8	1.0	4.2	2.7	6.8	3.7	5.1	9.9	17.0	13.2

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Franklin County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	30.3	21.9	39.1	--	31.1	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	8.6	5.1	12.2	--	9.3	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	27.1	22.9	31.9	--	29.7	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	33.3	10.7	58.6	--	33.1	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	50.1	27.9	44.6	34.0	50.9	33.7	39.3	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	60.7	33.4	50.3	44.7	60.7	40.1	47.5	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	67.3	51.1	65.0	54.0	69.1	50.0	59.5	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	60.7	35.5	47.8	49.1	62.0	42.5	48.5	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	56.1	30.4	43.1	44.0	57.1	36.5	43.6	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	52.2	15.6	31.2	37.6	53.1	19.5	34.4	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	43.8	16.4	28.9	32.1	44.3	20.4	30.5	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	72.0	38.2	58.6	52.7	76.4	39.4	55.6	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	93.9	54.2	74.5	75.5	91.8	65.8	75.0	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	82.5	47.2	71.6	59.2	83.6	52.3	65.5	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	83.2	32.3	60.6	55.6	80.5	39.6	58.2	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	93.6	48.9	75.0	68.8	95.3	55.0	72.0	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	89.3	41.3	67.9	64.2	90.7	45.5	66.1	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	99.1	71.6	92.1	79.2	99.0	76.5	85.8	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	87.3	55.2	75.5	68.1	84.9	61.7	71.8	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	93.7	50.2	73.5	71.9	89.8	64.8	72.7	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	79.0	33.9	51.2	63.5	76.3	43.1	57.2	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	85.0	42.5	63.9	65.2	82.5	53.8	64.5	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	82.7	35.8	55.2	65.0	80.1	45.4	60.0	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	92.3	70.1	86.7	76.4	92.0	75.7	81.6	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Franklin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	43.6	--	--	37.7	--	--	30.1	--	--	35.7	--	--	24.5	--	--	30.3	--
Drink monthly	--	18.4	--	--	13.1	--	--	7.9	--	--	11.4	--	--	13.7	--	--	8.6	--
Smoke cigarettes	--	33.6	--	--	36.2	--	--	33.4	--	--	23.1	--	--	19.7	--	--	27.1	--
Smoke marijuana	--	15.2	--	--	27.2	--	--	25.7	--	--	20.4	--	--	18.0	--	--	33.3	--
Great risk of harm																		
Daily alcohol use	37.1	30.4	33.7	40.8	24.7	32.9	39.4	25.8	32.9	31.5	32.6	32.0	48.5	29.7	38.5	50.1	27.9	39.3
5+ drinks daily	--	--	--	--	--	--	54.6	46.6	50.7	38.0	37.4	37.7	51.1	32.7	41.3	60.7	33.4	47.5
Daily cigarette use	60.0	66.6	63.3	67.9	71.8	69.8	64.1	56.3	60.3	55.1	56.7	55.9	67.8	56.9	61.9	67.3	51.1	59.5
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	60.7	35.5	48.5
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	56.1	30.4	43.6
Marijuana weekly*	--	--	--	--	--	--	56.5	13.4	35.6	39.3	15.9	27.6	51.3	19.7	34.4	52.2	15.6	34.4
Try marijuana	36.2	16.5	26.3	39.2	17.1	28.4	42.2	11.9	27.4	26.6	10.9	18.7	30.4	15.6	22.5	43.8	16.4	30.5
Prescription drugs	--	--	--	--	59.7	59.7	68.1	66.5	67.3	61.9	61.2	61.6	56.6	52.9	54.6	72.0	38.2	55.6
Think it wrong																		
Smoke cigarettes	81.6	62.8	72.3	88.3	63.5	76.3	85.5	71.4	78.8	92.3	68.5	80.4	94.0	83.9	88.7	93.9	54.2	75.0
Drink regularly	71.3	46.5	59.1	80.8	42.9	62.4	85.4	50.9	68.7	76.5	54.3	65.4	85.2	62.2	73.1	82.5	47.2	65.5
Smoke marijuana	75.4	55.4	65.5	84.9	50.8	68.3	81.4	50.9	66.6	84.0	45.2	64.7	90.5	50.9	69.8	83.2	32.3	58.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	93.6	48.9	72.0
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.3	41.3	66.1
Other illicit drugs	96.1	93.7	94.9	96.7	89.9	93.4	98.6	92.2	95.5	97.2	89.4	93.3	98.4	88.4	93.1	99.1	71.6	85.8
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	83.1	61.2	72.5	78.5	55.0	66.6	83.7	62.7	72.8	87.3	55.2	71.8
Smoke tobacco	--	--	--	--	--	--	88.0	69.5	79.1	87.8	71.2	79.5	94.1	70.9	82.1	93.7	50.2	72.7
Smoke marijuana	--	--	--	--	--	--	88.0	55.4	72.0	79.2	50.4	64.7	87.2	47.2	66.0	79.0	33.9	57.2
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	85.0	42.5	64.5
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.7	35.8	60.0
Prescription drugs	--	--	--	--	--	--	95.4	87.6	91.7	92.2	81.2	86.7	89.3	72.6	80.7	92.3	70.1	81.6

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Franklin County and Florida Statewide youth, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	6.3	0.0	9.4	--	0.0	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	18.3	18.2	18.4	--	19.5	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	0.0	0.0	0.0	--	0.0	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	31.3	81.8	6.4	--	33.4	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	44.1	0.0	65.8	--	47.1	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Franklin County and Florida Statewide youth, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	33.9	15.5	45.2	--	36.0	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	13.3	19.6	9.4	--	14.1	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	17.5	31.5	9.0	--	18.6	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	5.8	0.0	9.4	--	0.0	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	12.7	33.3	0.0	--	13.4	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	0.0	0.0	0.0	--	0.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	16.8	0.0	27.0	--	17.8	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Franklin County and Florida Statewide youth, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	16.9	47.0	0.0	--	17.9	--	--	31.9	34.7	28.6	--	32.9	--
2	--	12.0	18.8	8.2	--	12.7	--	--	21.8	24.0	19.2	--	21.1	--
3	--	16.2	19.6	14.3	--	17.2	--	--	16.1	15.5	16.7	--	16.2	--
4	--	0.0	0.0	0.0	--	0.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	54.9	14.6	77.5	--	52.2	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Franklin County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.8	16.1	5.3	12.9	2.9	16.5	8.7	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	3.5	22.7	11.8	12.4	3.6	23.9	12.0	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.0	4.1	0.8	5.6	2.0	2.9	2.9	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Franklin County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	2.8	12.2	1.5	13.7	2.9	12.1	7.0	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.0	9.9	2.8	8.8	1.5	11.8	5.5	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	1.0	0.0	0.0	1.3	1.1	0.0	0.6	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.3	0.0	0.9	0.6	1.4	0.0	0.8	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.5	0.0	0.0	0.6	0.5	0.0	0.3	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	7.2	18.2	7.3	17.6	6.1	21.4	12.0	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	7.7	11.7	1.8	18.7	7.9	11.5	9.5	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Franklin County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	7.5	18.5	13.1	10.8	11.5	11.1	13.6	10.8	12.3	10.8	17.4	14.2	11.1	8.4	9.6	2.8	12.2	7.0
Selling drugs	2.1	20.9	11.8	5.4	10.2	7.7	0.0	7.1	3.5	2.8	18.2	10.6	0.0	8.0	4.5	2.0	9.9	5.5
Attempting to steal a vehicle	0.0	5.9	3.1	0.6	2.2	1.4	1.5	6.0	3.6	1.4	4.4	2.9	0.0	8.0	4.5	1.0	0.0	0.6
Being arrested	0.0	12.1	6.2	2.4	3.8	3.1	3.4	2.5	3.0	2.4	5.3	3.9	0.0	3.2	1.9	1.3	0.0	0.8
Taking a handgun to school	1.3	7.3	4.4	0.0	1.5	0.7	0.0	0.0	0.0	0.0	1.5	0.8	0.0	3.2	1.8	0.5	0.0	0.3
Getting suspended	15.4	21.7	18.6	16.1	19.1	17.5	10.6	19.2	14.7	16.5	11.7	14.0	15.3	13.1	14.1	7.2	18.2	12.0
Attacking someone with intent to harm	11.3	19.4	15.5	9.9	10.6	10.2	5.7	9.3	7.4	15.4	10.4	12.9	10.2	13.3	11.9	7.7	11.7	9.5

Table 14. Percentages of Franklin County and Florida Statewide youth who reported symptoms of depression, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	23.4	38.6	36.4	25.0	27.7	32.9	30.8	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	39.9	49.3	55.4	33.1	44.9	41.9	44.4	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	21.9	39.4	38.8	21.7	26.1	31.9	30.3	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	51.6	51.7	62.1	40.8	53.7	50.4	51.6	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Franklin County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	11.2	20.8	27.7	3.6	12.0	17.5	15.8	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	39.7	28.2	34.5	33.9	38.7	35.5	34.2	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	78.8	53.7	68.0	65.5	80.2	61.7	66.7	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	28.6	35.3	44.4	18.9	28.3	36.4	31.8	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	17.5	14.5	13.8	18.5	14.9	20.6	16.1	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	37.3	20.2	23.7	34.6	37.4	24.9	29.1	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	16.7	4.5	14.1	7.3	12.1	11.3	10.8	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Franklin County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	20.3	30.6	5.0	--	14.6	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	4.3	7.1	0.0	--	5.1	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	9.5	13.5	2.9	--	3.4	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	44.9	41.2	51.6	--	46.8	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	8.3	11.5	3.1	--	9.9	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	50.7	56.5	41.2	--	48.4	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	43.2	47.4	36.6	--	46.6	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	50.2	50.6	49.4	--	55.2	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	37.0	37.9	35.6	--	38.8	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	12.9	7.6	21.7	--	15.1	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Franklin County and Florida Statewide high school youth, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	23.1	23.9	21.9	--	22.0	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	9.0	8.7	9.6	--	9.3	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	11.1	8.0	16.3	--	13.8	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	25.6	22.8	30.1	--	23.4	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	7.4	7.8	6.9	--	9.3	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	13.5	16.3	8.9	--	10.6	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	6.2	6.0	6.4	--	6.6	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	4.0	6.4	0.0	--	5.0	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Franklin County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	18.5	27.3	29.8	13.6	19.0	29.0	22.3	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	19.4	27.4	29.2	15.4	19.8	31.1	22.9	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	24.3	40.5	41.3	19.5	23.6	40.2	31.5	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	17.9	22.1	20.5	18.8	18.3	25.0	19.7	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	27.9	33.9	32.4	28.8	31.2	33.7	30.7	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	55.1	53.0	65.1	40.9	60.2	50.4	54.2	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Franklin County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Franklin County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	43.9	49.6	45.1	48.2	42.3	42.1	46.6	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	24.2	11.9	19.8	16.7	25.3	12.2	18.3	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	9.6	3.0	6.4	6.5	8.8	4.0	6.4	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	35.7	16.8	32.3	20.7	33.9	23.2	26.6	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	7.5	12.7	8.4	11.7	4.5	18.5	10.0	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Franklin County and Florida Statewide youth, 2020

	Franklin County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	26.9	22.8	31.4	--	27.6	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	38.3	29.4	48.4	--	40.4	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	18.1	6.9	30.8	--	23.0	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	30.5	20.8	41.2	--	30.5	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Franklin County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	34.0	--	--	34.1	--	--	34.9	--	--	31.2	--	--	26.9	--
Marijuana	--	--	--	--	44.5	--	--	37.2	--	--	35.5	--	--	36.2	--	--	38.3	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	18.5	--	--	20.4	--	--	13.4	--	--	18.4	--	--	18.1	--
Marijuana	--	--	--	--	23.0	--	--	19.0	--	--	21.2	--	--	21.4	--	--	30.5	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Franklin County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Franklin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	57	39	57	57	59	54
	Family Rewards for Prosocial Involvement	56	32	50	53	54	55
School	School Opportunities for Prosocial Involvement	58	32	51	60	57	60
	School Rewards for Prosocial Involvement	64	33	44	54	53	58
Peer and Individual	Religiosity	58	56	42	52	56	62
Average Prevalence Rate		59	38	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Franklin County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Franklin County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	56	57	41	32	42	42
	Perceived Availability of Drugs	38	39	34	20	45	45
	Perceived Availability of Handguns	13	59	23	31	25	42
Family	Poor Family Management	48	44	43	35	44	45
	Family Conflict	29	43	42	34	42	37
School	Poor Academic Performance	49	54	46	46	45	48
	Lack of Commitment to School	57	82	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	38	48	49	38	40	46
	Favorable Attitudes toward ATOD Use	34	63	35	32	39	45
	Early Initiation of Drug Use	26	39	24	17	41	46
Average Prevalence Rate		39	53	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Franklin County, 2010 to 2020

Domain	Scale	Franklin County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	60	56	76	53	34	57
	Family Rewards for Prosocial Involvement	52	48	67	46	21	56
School	School Opportunities for Prosocial Involvement	43	48	65	50	41	58
	School Rewards for Prosocial Involvement	49	70	61	49	39	64
Peer and Individual	Religiosity	63	63	59	63	54	58
Average Prevalence Rate		53	57	66	52	38	59

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Franklin County, 2010 to 2020

Domain	Scale	Franklin County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	56	51	46	53	53	56
	Perceived Availability of Drugs	57	58	44	55	22	38
	Perceived Availability of Handguns	40	44	48	44	26	13
Family	Poor Family Management	49	51	33	51	53	48
	Family Conflict	41	50	38	35	39	29
School	Poor Academic Performance	41	46	51	42	64	49
	Lack of Commitment to School	64	65	52	58	72	57
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	49	42	45	31	38
	Favorable Attitudes toward ATOD Use	47	46	30	50	38	34
	Early Initiation of Drug Use	51	47	35	34	30	26
Average Prevalence Rate		49	51	42	47	43	39

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Franklin County, 2010 to 2020

Domain	Scale	Franklin County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	45	54	52	61	44	39
	Family Rewards for Prosocial Involvement	44	46	53	63	41	32
School	School Opportunities for Prosocial Involvement	60	49	48	53	51	32
	School Rewards for Prosocial Involvement	55	55	50	50	58	33
Peer and Individual	Religiosity	66	55	55	56	52	56
Average Prevalence Rate		54	52	52	57	49	38

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Franklin County, 2010 to 2020

Domain	Scale	Franklin County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	61	44	49	41	53	57
	Perceived Availability of Drugs	48	50	42	38	24	39
	Perceived Availability of Handguns	53	60	61	58	51	59
Family	Poor Family Management	60	54	51	45	51	44
	Family Conflict	35	33	44	43	20	43
School	Poor Academic Performance	51	57	58	41	41	54
	Lack of Commitment to School	67	66	53	62	72	82
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	52	44	36	40	51	48
	Favorable Attitudes toward ATOD Use	54	54	49	52	47	63
	Early Initiation of Drug Use	51	55	49	44	33	39
Average Prevalence Rate		53	52	49	46	44	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.