

2020 Florida Youth Substance Abuse Survey

Lake County Data Tables

Table 1. Major demographic characteristics of surveyed Lake County and Florida Statewide youth, 2020

	Lake County		Florida Statewide	
	N	%	N	%
Sex				
Female	589	50.4	25,191	48.4
Male	558	47.8	26,328	50.5
Race/Ethnic group				
African American	143	12.2	11,284	21.7
American Indian	29	2.5	491	0.9
Asian	20	1.7	671	1.3
Hispanic/Latino	235	20.1	11,091	21.3
Native Hawaiian/Pacific Islander	4	0.3	68	0.1
Other/Multiple	249	21.3	7,227	13.9
White, non-Hispanic	475	40.7	20,904	40.1
Age				
10	1	0.1	44	0.1
11	65	5.6	3,151	6.0
12	177	15.2	7,124	13.7
13	218	18.7	7,698	14.8
14	191	16.4	7,616	14.6
15	174	14.9	7,582	14.6
16	172	14.7	7,502	14.4
17	125	10.7	7,073	13.6
18	38	3.3	3,807	7.3
19 or older	5	0.4	394	0.8
Grade				
6th	189	16.2	7,718	14.8
7th	177	15.2	7,555	14.5
8th	251	21.5	7,632	14.6
9th	122	10.4	7,668	14.7
10th	206	17.6	7,481	14.4
11th	132	11.3	7,117	13.7
12th	91	7.8	6,923	13.3
Overall Middle School	617	52.8	22,904	44.0
Overall High School	551	47.2	29,189	56.0
Total	1,168	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Lake County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Lake County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	23.3	51.5	42.6	35.3	24.7	52.4	39.0	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	13.4	15.2	11.5	--	13.0	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	5.6	12.3	10.5	8.3	6.0	11.9	9.3	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	14.7	31.4	24.6	24.0	16.8	29.4	24.2	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	6.4	21.7	17.1	13.1	7.6	20.7	15.1	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	7.5	27.9	20.7	17.7	8.9	28.0	19.1	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	2.7	2.7	2.3	--	3.0	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	6.4	4.3	6.3	4.1	6.4	4.5	5.2	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.3	1.8	1.1	1.1	0.4	2.2	1.2	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	0.9	2.2	1.2	2.0	0.9	2.4	1.6	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.1	1.1	0.8	0.5	0.1	1.4	0.7	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.4	1.1	0.5	1.1	0.4	1.0	0.8	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.1	0.8	0.5	0.5	0.1	1.0	0.5	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	1.6	4.7	3.5	3.0	1.8	5.4	3.3	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	2.9	2.4	2.3	2.9	3.5	1.6	2.6	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	1.4	3.6	2.5	2.7	1.8	3.4	2.6	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.1	3.7	3.4	2.5	2.2	4.2	3.0	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.9	0.8	1.0	--	1.2	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	15.1	35.2	28.4	24.8	17.0	34.6	26.4	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	10.5	13.3	12.7	11.5	11.4	13.3	12.0	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	14.0	21.9	19.0	17.4	13.9	22.3	18.4	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	28.7	56.4	47.3	41.2	30.4	56.2	44.2	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	5.6	5.4	5.0	6.1	5.9	4.1	5.5	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Lake County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Lake County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	6.2	21.9	16.0	13.8	7.6	20.5	15.0	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	3.5	10.7	8.5	6.4	3.5	10.1	7.5	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	0.7	2.6	2.3	1.2	0.7	2.6	1.8	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	5.5	15.1	11.0	10.9	6.8	13.8	11.0	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	3.0	10.5	8.7	5.7	4.2	9.1	7.2	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	3.4	14.3	12.2	7.1	4.1	13.4	9.6	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.3	0.2	0.4	--	0.4	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.0	0.9	1.3	1.5	2.4	0.4	1.4	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.1	0.7	0.1	0.8	0.1	0.8	0.4	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.3	0.4	0.2	0.5	0.2	0.3	0.3	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.1	0.4	0.1	0.5	0.1	0.5	0.3	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.1	0.4	0.0	0.5	0.1	0.5	0.3	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.3	0.1	0.2	0.0	0.4	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.8	1.3	0.7	1.4	0.8	1.5	1.1	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.6	1.3	1.4	1.5	1.8	1.1	1.4	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.8	1.0	0.9	0.9	0.9	0.8	0.9	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.8	1.0	1.0	0.9	0.8	1.0	0.9	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	6.8	17.9	14.7	11.5	8.0	16.6	13.0	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	4.4	4.0	3.7	4.7	4.9	3.5	4.2	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	3.7	11.3	7.8	8.0	4.5	10.7	8.0	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	10.6	29.0	22.6	19.2	12.5	27.2	20.9	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	4.7	7.1	7.0	5.3	5.2	6.7	6.1	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Lake County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	39.9	69.0	56.5	28.6	63.7	48.4	24.4	54.0	41.1	21.7	52.9	39.3	24.5	48.0	38.0	23.3	51.5	39.0
Blacking Out	--	--	--	--	--	--	--	18.5	--	--	15.8	--	--	11.1	--	--	13.4	--
Cigarettes	22.9	39.1	32.1	15.3	34.7	26.2	12.2	26.9	20.6	7.2	22.5	15.8	8.8	13.9	11.7	5.6	12.3	9.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	14.7	31.4	24.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	6.4	21.7	15.1
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	15.0	36.1	26.8	17.3	34.0	26.8	--	--	--
Marijuana or Hashish	13.2	37.1	26.8	9.5	35.9	24.5	7.4	35.7	23.4	5.8	35.0	22.2	10.7	24.9	18.8	7.5	27.9	19.1
Synthetic Marijuana	--	--	--	--	14.4	--	--	12.1	--	--	6.8	--	--	4.3	--	--	2.7	--
Inhalants	15.5	6.8	10.5	10.3	7.3	8.6	8.5	4.1	6.0	6.3	4.4	5.2	10.8	3.8	6.8	6.4	4.3	5.2
Club Drugs	2.2	5.0	3.8	0.3	4.3	2.6	0.1	5.7	3.3	0.2	2.9	1.7	1.3	1.1	1.2	0.3	1.8	1.2
LSD, PCP or Mushrooms	2.3	5.8	4.3	1.5	4.7	3.3	0.5	5.5	3.4	0.5	5.2	3.1	1.6	2.3	2.0	0.9	2.2	1.6
Methamphetamine	1.8	1.3	1.5	0.5	1.0	0.8	0.5	1.7	1.2	0.6	0.7	0.7	0.7	0.7	0.7	0.1	1.1	0.7
Cocaine or Crack	1.8	2.9	2.4	0.3	6.0	3.6	0.4	3.1	1.9	0.2	1.6	1.0	0.8	1.7	1.3	0.4	1.1	0.8
Heroin	1.4	0.7	1.0	0.2	1.0	0.7	0.5	1.4	1.0	0.3	0.6	0.4	0.2	0.0	0.1	0.1	0.8	0.5
Prescription Depressants	3.9	9.7	7.2	1.1	7.0	4.5	1.6	8.0	5.3	1.8	8.8	5.7	4.4	4.5	4.4	1.6	4.7	3.3
Prescription Pain Relievers	7.3	11.8	9.9	4.8	11.8	8.8	5.5	10.1	8.1	3.6	7.2	5.6	3.6	4.0	3.9	2.9	2.4	2.6
Prescription Amphetamines	2.6	5.9	4.5	2.6	6.9	5.1	1.0	6.5	4.2	1.1	5.6	3.6	3.3	3.4	3.4	1.4	3.6	2.6
Over-the-Counter Drugs	6.4	8.3	7.5	4.0	10.2	7.5	4.2	6.5	5.5	4.7	6.0	5.4	4.8	3.3	3.9	2.1	3.7	3.0
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.5	--	--	0.9	--	--	0.9	--
Any illicit drug	28.6	43.7	37.2	20.8	40.6	32.1	18.9	41.5	31.7	15.7	38.3	28.4	23.3	30.4	27.4	15.1	35.2	26.4
Any illicit drug other than marijuana	23.1	23.2	23.2	16.2	22.6	19.8	15.0	20.6	18.2	12.1	19.3	16.1	19.1	13.4	15.8	10.5	13.3	12.0
Alcohol only	19.5	29.2	25.1	15.1	25.6	21.0	14.2	19.5	17.2	12.6	20.6	17.2	12.3	22.5	18.2	14.0	21.9	18.4
Alcohol or any illicit drug	47.9	72.7	62.0	35.6	65.8	52.8	33.0	61.0	48.9	27.9	58.6	45.2	35.2	52.9	45.3	28.7	56.4	44.2
Any illicit drug, but no alcohol	8.3	3.8	5.7	7.0	2.8	4.6	8.8	6.7	7.6	6.9	6.6	6.7	11.3	5.1	7.7	5.6	5.4	5.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Lake County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	19.3	39.2	30.7	11.2	37.2	25.9	9.4	27.2	19.5	5.8	21.3	14.6	8.6	19.9	15.1	6.2	21.9	15.0
Binge Drinking	8.6	18.7	14.4	3.5	17.0	11.1	4.0	11.7	8.3	3.6	11.4	8.0	2.4	7.5	5.3	3.5	10.7	7.5
Cigarettes	7.2	15.8	12.1	3.7	13.3	9.1	3.1	8.6	6.2	0.8	7.5	4.6	1.3	3.5	2.5	0.7	2.6	1.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.5	15.1	11.0
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	3.0	10.5	7.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.1	14.3	10.7	7.2	14.6	11.4	--	--	--
Marijuana or Hashish	6.8	18.1	13.3	4.6	22.1	14.6	4.0	19.9	13.0	1.9	19.7	11.9	4.7	12.2	9.0	3.4	14.3	9.6
Synthetic Marijuana	--	--	--	--	5.8	--	--	3.1	--	--	0.4	--	--	1.2	--	--	0.3	--
Inhalants	5.6	1.7	3.4	3.0	0.9	1.8	3.6	1.2	2.3	1.4	0.5	0.9	3.4	1.1	2.0	2.0	0.9	1.4
Club Drugs	0.5	0.6	0.6	0.1	1.3	0.8	0.1	1.4	0.8	0.1	0.3	0.2	0.0	0.5	0.3	0.1	0.7	0.4
LSD, PCP or Mushrooms	0.6	0.5	0.5	0.5	1.0	0.8	0.1	1.2	0.7	0.2	1.4	0.9	0.1	1.1	0.6	0.3	0.4	0.3
Methamphetamine	0.6	0.0	0.3	0.1	0.6	0.4	0.1	0.9	0.6	0.2	0.3	0.2	0.1	0.3	0.2	0.1	0.4	0.3
Cocaine or Crack	0.7	0.3	0.5	0.2	1.2	0.8	0.1	0.8	0.5	0.1	0.3	0.2	0.1	0.6	0.4	0.1	0.4	0.3
Heroin	0.2	0.5	0.4	0.1	0.5	0.3	0.3	0.3	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.2
Prescription Depressants	1.5	3.1	2.4	0.4	1.7	1.1	0.3	4.0	2.4	0.7	2.2	1.5	1.3	1.9	1.7	0.8	1.3	1.1
Prescription Pain Relievers	3.5	3.8	3.7	2.2	3.7	3.1	2.9	4.4	3.7	1.0	2.7	2.0	1.4	0.3	0.8	1.6	1.3	1.4
Prescription Amphetamines	0.8	0.6	0.7	0.9	1.6	1.3	0.1	2.3	1.3	0.2	2.1	1.3	1.0	0.5	0.7	0.8	1.0	0.9
Over-the-Counter Drugs	2.4	2.0	2.2	1.9	2.8	2.4	2.3	2.4	2.4	2.1	2.6	2.4	0.9	1.0	1.0	0.8	1.0	0.9
Any illicit drug	14.4	21.4	18.4	9.7	24.3	18.0	10.3	23.5	17.8	6.0	21.8	14.9	9.1	14.3	12.1	6.8	17.9	13.0
Any illicit drug other than marijuana	10.8	8.4	9.4	7.0	9.1	8.2	7.5	9.3	8.5	4.4	6.8	5.8	6.7	4.7	5.5	4.4	4.0	4.2
Alcohol only	11.0	22.6	17.7	6.8	19.3	13.9	4.8	13.0	9.4	3.8	8.5	6.5	5.5	12.3	9.4	3.7	11.3	8.0
Alcohol or any illicit drug	25.3	43.8	35.9	16.2	42.8	31.3	14.7	36.0	26.8	9.5	30.0	21.1	14.2	26.8	21.4	10.6	29.0	20.9
Any illicit drug, but no alcohol	6.3	4.9	5.5	5.1	6.3	5.8	5.6	8.7	7.4	3.9	9.1	6.8	5.8	7.2	6.6	4.7	7.1	6.1

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Lake County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Lake County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	15.1	16.0	13.9	--	13.8	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	2.1	1.8	2.5	--	1.9	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	7.3	7.0	7.8	--	7.6	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	7.2	7.8	6.8	--	6.5	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	48.0	41.7	49.2	40.2	47.4	43.0	44.5	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	63.1	57.5	63.9	56.4	63.9	58.5	59.9	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	68.1	64.3	69.0	63.4	67.2	64.5	66.0	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	50.6	34.3	44.0	39.3	48.0	35.9	41.5	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	54.1	30.9	44.2	38.5	50.7	33.4	41.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	48.3	17.9	33.3	29.6	44.9	19.1	31.4	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	34.2	11.3	20.9	22.0	31.2	12.2	21.3	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	70.6	72.4	72.5	71.3	70.2	73.7	71.6	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	97.6	92.0	92.7	96.0	97.6	93.3	94.5	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	87.6	69.2	75.6	79.2	87.7	69.4	77.3	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	89.5	63.4	74.3	75.4	86.6	66.6	74.9	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	90.7	81.6	86.1	85.2	88.8	83.9	85.6	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	92.1	76.1	84.1	82.1	90.1	78.3	83.1	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	99.1	94.7	97.5	95.8	98.9	94.7	96.7	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.6	81.7	87.5	83.0	90.0	82.1	85.2	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	94.1	88.2	90.5	91.0	94.4	89.0	90.8	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	87.5	60.7	74.2	70.7	85.2	62.0	72.6	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	86.0	68.3	76.9	75.4	84.7	68.8	76.1	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	88.5	69.9	81.2	75.2	87.5	70.3	78.1	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	94.5	93.2	94.8	92.6	95.0	92.8	93.8	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Lake County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	29.9	--	--	25.5	--	--	22.6	--	--	18.8	--	--	13.7	--	--	15.1	--
Drink monthly	--	5.1	--	--	6.5	--	--	3.7	--	--	4.3	--	--	1.2	--	--	2.1	--
Smoke cigarettes	--	20.3	--	--	20.1	--	--	14.2	--	--	10.1	--	--	7.0	--	--	7.3	--
Smoke marijuana	--	11.1	--	--	11.8	--	--	14.8	--	--	10.7	--	--	5.7	--	--	7.2	--
Great risk of harm																		
Daily alcohol use	39.0	40.1	39.7	43.7	34.8	38.6	40.6	34.5	37.2	42.1	41.7	41.9	49.8	43.9	46.4	48.0	41.7	44.5
5+ drinks daily	--	--	--	--	--	--	54.2	49.2	51.3	55.6	51.7	53.4	64.5	60.1	62.0	63.1	57.5	59.9
Daily cigarette use	66.3	72.3	69.7	69.2	66.8	67.8	66.9	66.9	66.9	70.2	66.7	68.2	68.3	70.0	69.3	68.1	64.3	66.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	50.6	34.3	41.5
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	54.1	30.9	41.1
Marijuana weekly*	--	--	--	--	--	--	53.4	25.0	37.2	53.6	27.1	38.6	51.1	26.7	37.1	48.3	17.9	31.4
Try marijuana	41.2	22.1	30.3	37.6	17.9	26.4	34.3	13.7	22.6	33.5	17.6	24.5	33.1	18.5	24.8	34.2	11.3	21.3
Prescription drugs	--	--	--	--	68.2	68.2	70.9	66.9	68.6	71.5	66.3	68.5	65.3	72.1	69.2	70.6	72.4	71.6
Think it wrong																		
Smoke cigarettes	86.0	73.2	78.6	90.6	72.4	80.2	92.7	81.2	86.2	96.5	86.6	90.9	94.8	91.6	93.0	97.6	92.0	94.5
Drink regularly	80.9	54.2	65.6	85.1	56.3	68.6	89.1	62.7	74.2	90.2	63.7	75.1	88.5	73.0	79.7	87.6	69.2	77.3
Smoke marijuana	87.9	69.9	77.6	89.5	64.4	75.2	90.3	60.3	73.3	90.4	63.4	75.1	86.5	68.7	76.4	89.5	63.4	74.9
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	90.7	81.6	85.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	92.1	76.1	83.1
Other illicit drugs	96.5	94.3	95.2	97.0	94.2	95.4	97.5	93.9	95.5	98.5	94.3	96.1	97.0	96.9	97.0	99.1	94.7	96.7
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	90.8	70.0	79.0	92.2	76.4	83.2	89.9	81.1	84.9	89.6	81.7	85.2
Smoke tobacco	--	--	--	--	--	--	91.3	78.2	83.9	94.6	84.1	88.6	93.1	90.0	91.3	94.1	88.2	90.8
Smoke marijuana	--	--	--	--	--	--	88.7	57.1	70.8	90.0	57.7	71.6	83.4	65.0	72.9	87.5	60.7	72.6
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.0	68.3	76.1
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	88.5	69.9	78.1
Prescription drugs	--	--	--	--	--	--	96.1	88.5	91.8	96.4	90.4	93.0	92.8	92.0	92.4	94.5	93.2	93.8

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Lake County and Florida Statewide youth, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	2.5	4.7	0.0	--	3.2	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	11.8	10.9	13.0	--	10.6	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	39.8	42.2	37.5	--	37.3	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.5	0.0	1.1	--	0.7	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	23.7	31.9	14.4	--	24.7	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	21.7	10.4	34.0	--	23.5	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Lake County and Florida Statewide youth, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	41.5	37.7	45.3	--	41.1	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	45.6	46.9	44.7	--	43.8	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	0.0	0.0	0.0	--	0.0	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	1.5	2.8	0.0	--	1.9	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	0.0	0.0	0.0	--	0.0	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	1.6	1.3	1.9	--	2.0	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	2.8	4.3	1.1	--	3.7	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	6.9	6.9	7.0	--	7.5	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Lake County and Florida Statewide youth, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	20.7	26.4	13.5	--	19.8	--	--	31.9	34.7	28.6	--	32.9	--
2	--	18.7	17.5	20.3	--	20.8	--	--	21.8	24.0	19.2	--	21.1	--
3	--	17.2	18.9	15.2	--	14.1	--	--	16.1	15.5	16.7	--	16.2	--
4	--	17.2	18.3	15.9	--	16.7	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	26.2	18.9	35.2	--	28.6	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Lake County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	2.9	7.7	6.8	4.4	3.1	8.5	5.7	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	3.1	12.4	9.3	7.8	3.7	13.4	8.5	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.1	2.8	3.1	1.9	2.4	2.1	2.5	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Lake County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.2	6.0	4.2	8.6	6.5	6.4	6.5	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	0.7	3.6	2.3	2.5	0.6	3.6	2.4	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	0.3	1.2	1.0	0.6	0.4	0.9	0.8	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	0.9	1.1	0.7	1.2	1.1	1.0	1.0	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.1	1.5	0.6	1.2	0.1	1.4	0.9	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	12.8	8.3	4.5	16.1	11.6	8.9	10.2	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	7.4	4.4	5.4	5.5	6.5	4.0	5.6	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Lake County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	4.8	5.7	5.3	4.3	5.3	4.8	6.7	7.9	7.4	3.0	5.0	4.1	6.6	4.4	5.3	7.2	6.0	6.5
Selling drugs	3.4	9.7	7.0	2.4	7.0	5.0	1.3	7.4	4.8	1.1	6.5	4.1	1.6	4.5	3.3	0.7	3.6	2.4
Attempting to steal a vehicle	1.4	2.4	2.0	1.1	2.6	2.0	0.3	1.8	1.1	0.6	1.4	1.1	0.4	0.6	0.5	0.3	1.2	0.8
Being arrested	5.9	6.8	6.4	3.4	5.1	4.4	1.5	3.2	2.4	1.2	3.1	2.3	1.0	1.8	1.4	0.9	1.1	1.0
Taking a handgun to school	0.4	0.9	0.7	0.3	1.7	1.1	0.0	0.6	0.3	0.0	0.2	0.1	0.1	0.0	0.0	0.1	1.5	0.9
Getting suspended	18.7	13.3	15.6	16.1	11.9	13.7	11.3	10.4	10.8	9.6	7.9	8.6	13.1	7.8	10.1	12.8	8.3	10.2
Attacking someone with intent to harm	11.6	9.9	10.7	8.9	7.6	8.1	6.4	7.8	7.2	3.1	3.9	3.6	6.9	5.2	5.9	7.4	4.4	5.6

Table 14. Percentages of Lake County and Florida Statewide youth who reported symptoms of depression, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	28.2	32.2	39.9	20.6	27.5	32.0	30.4	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	46.0	49.8	60.5	35.4	46.0	49.7	48.1	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	29.7	30.4	36.3	23.3	28.2	31.7	30.1	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	44.0	48.8	55.9	37.2	42.9	48.9	46.7	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Lake County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	7.0	11.0	13.0	5.2	5.8	12.4	9.2	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	38.5	24.3	28.3	32.6	37.5	23.8	30.6	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	62.7	56.2	65.6	53.0	63.0	54.1	59.1	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	25.5	32.6	39.4	20.0	27.5	32.4	29.5	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	20.9	12.8	12.3	20.5	20.4	11.7	16.2	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	30.1	26.6	25.2	31.3	31.8	24.8	28.1	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	11.1	12.3	11.5	12.3	11.9	12.3	11.8	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Lake County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	17.3	21.2	13.5	--	17.0	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	9.3	10.7	8.2	--	10.1	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	7.1	11.1	3.3	--	7.1	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	44.5	48.6	40.7	--	47.1	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	9.3	10.5	8.3	--	9.5	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	27.7	31.1	24.8	--	29.3	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	38.1	49.1	27.2	--	39.5	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	30.6	33.6	27.9	--	31.6	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	30.3	39.8	20.6	--	30.5	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	8.0	10.9	5.3	--	9.5	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Lake County and Florida Statewide high school youth, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	27.7	21.5	34.1	--	26.4	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	22.1	18.2	25.4	--	21.7	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	14.1	15.7	12.2	--	14.4	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	10.0	10.5	9.8	--	10.0	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	10.1	11.7	8.7	--	9.8	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	6.6	9.4	3.9	--	7.2	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	3.8	5.8	1.7	--	4.6	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	3.0	4.2	1.8	--	3.0	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.5	1.3	1.7	--	1.6	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.8	1.6	0.0	--	0.8	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.3	0.0	0.7	--	0.4	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Lake County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	30.8	24.9	29.7	25.0	29.2	26.4	27.4	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	27.2	20.6	23.5	23.2	26.8	21.0	23.5	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	26.3	26.7	27.6	25.4	25.9	27.5	26.5	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	25.9	22.5	22.5	25.7	24.7	23.6	24.0	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	34.3	30.3	34.0	30.1	33.6	29.6	32.1	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	49.2	39.2	51.7	34.6	49.1	38.7	43.5	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Lake County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Lake County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	31.3	31.0	30.7	31.8	32.2	30.2	31.1	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	37.0	20.9	25.1	31.0	36.0	19.4	28.1	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	24.3	10.2	18.9	13.7	23.2	9.1	16.4	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	19.1	30.3	35.1	16.0	20.2	29.9	25.3	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	7.8	10.0	12.4	6.0	8.4	10.0	9.0	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Lake County and Florida Statewide youth, 2020

	Lake County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	14.4	18.7	9.8	--	14.1	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	21.4	26.7	16.5	--	20.9	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	3.0	2.0	4.2	--	2.8	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	6.6	6.3	7.1	--	6.1	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Lake County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	24.1	--	--	19.1	--	--	13.7	--	--	13.2	--	--	14.4	--
Marijuana	--	--	--	--	27.2	--	--	25.9	--	--	25.3	--	--	18.4	--	--	21.4	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	8.9	--	--	6.9	--	--	7.4	--	--	2.5	--	--	3.0	--
Marijuana	--	--	--	--	13.2	--	--	11.4	--	--	12.1	--	--	6.8	--	--	6.6	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Lake County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Lake County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	57	57	57	57	59	54
	Family Rewards for Prosocial Involvement	49	51	50	53	54	55
School	School Opportunities for Prosocial Involvement	53	55	51	60	57	60
	School Rewards for Prosocial Involvement	45	47	44	54	53	58
Peer and Individual	Religiosity	42	56	42	52	56	62
Average Prevalence Rate		49	53	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Lake County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Lake County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	36	32	41	32	42	42
	Perceived Availability of Drugs	30	21	34	20	45	45
	Perceived Availability of Handguns	22	31	23	31	25	42
Family	Poor Family Management	45	30	43	35	44	45
	Family Conflict	39	36	42	34	42	37
School	Poor Academic Performance	50	44	46	46	45	48
	Lack of Commitment to School	67	66	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	40	49	38	40	46
	Favorable Attitudes toward ATOD Use	36	36	35	32	39	45
	Early Initiation of Drug Use	22	15	24	17	41	46
Average Prevalence Rate		40	35	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Lake County, 2010 to 2020

Domain	Scale	Lake County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	51	57	60	62	56	57
	Family Rewards for Prosocial Involvement	47	54	58	57	49	49
School	School Opportunities for Prosocial Involvement	46	48	50	52	54	53
	School Rewards for Prosocial Involvement	42	47	45	47	42	45
Peer and Individual	Religiosity	55	54	48	45	46	42
Average Prevalence Rate		48	52	52	53	49	49

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Lake County, 2010 to 2020

Domain	Scale	Lake County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	46	40	33	32	40	36
	Perceived Availability of Drugs	56	44	41	36	40	30
	Perceived Availability of Handguns	30	26	29	25	29	22
Family	Poor Family Management	46	41	38	33	41	45
	Family Conflict	49	39	40	38	45	39
School	Poor Academic Performance	47	47	42	48	43	50
	Lack of Commitment to School	59	54	53	59	64	67
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	47	40	41	47	51
	Favorable Attitudes toward ATOD Use	43	38	30	30	37	36
	Early Initiation of Drug Use	38	30	26	22	28	22
Average Prevalence Rate		47	41	37	36	41	40

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Lake County, 2010 to 2020

Domain	Scale	Lake County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	61	57	58	61	57
	Family Rewards for Prosocial Involvement	54	59	53	54	54	51
School	School Opportunities for Prosocial Involvement	57	61	55	63	66	55
	School Rewards for Prosocial Involvement	54	60	55	57	53	47
Peer and Individual	Religiosity	65	61	56	56	53	56
Average Prevalence Rate		57	60	55	58	57	53

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Lake County, 2010 to 2020

Domain	Scale	Lake County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	41	40	36	34	29	32
	Perceived Availability of Drugs	39	37	32	29	22	21
	Perceived Availability of Handguns	42	41	44	43	34	31
Family	Poor Family Management	44	41	38	37	31	30
	Family Conflict	37	32	35	35	36	36
School	Poor Academic Performance	44	40	41	48	44	44
	Lack of Commitment to School	56	46	56	58	64	66
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	41	40	33	34	33	40
	Favorable Attitudes toward ATOD Use	40	44	40	38	27	36
	Early Initiation of Drug Use	35	37	26	23	16	15
Average Prevalence Rate		42	40	38	38	34	35

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.