

2020 Florida Youth Substance Abuse Survey

Monroe County Data Tables

Table 1. Major demographic characteristics of surveyed Monroe County and Florida Statewide youth, 2020

	Monroe County		Florida Statewide	
	N	%	N	%
Sex				
Female	399	52.6	25,191	48.4
Male	352	46.4	26,328	50.5
Race/Ethnic group				
African American	51	6.7	11,284	21.7
American Indian	8	1.1	491	0.9
Asian	16	2.1	671	1.3
Hispanic/Latino	222	29.3	11,091	21.3
Native Hawaiian/Pacific Islander	1	0.1	68	0.1
Other/Multiple	167	22.0	7,227	13.9
White, non-Hispanic	288	38.0	20,904	40.1
Age				
10	1	0.1	44	0.1
11	65	8.6	3,151	6.0
12	134	17.7	7,124	13.7
13	151	19.9	7,698	14.8
14	93	12.3	7,616	14.6
15	91	12.0	7,582	14.6
16	87	11.5	7,502	14.4
17	99	13.1	7,073	13.6
18	30	4.0	3,807	7.3
19 or older	3	0.4	394	0.8
Grade				
6th	165	21.8	7,718	14.8
7th	128	16.9	7,555	14.5
8th	132	17.4	7,632	14.6
9th	81	10.7	7,668	14.7
10th	89	11.7	7,481	14.4
11th	102	13.5	7,117	13.7
12th	61	8.0	6,923	13.3
Overall Middle School	425	56.1	22,904	44.0
Overall High School	333	43.9	29,189	56.0
Total	758	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. "N" represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Monroe County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	25.1	56.8	46.8	39.1	27.7	56.4	42.6	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	23.8	23.8	24.2	--	24.4	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	5.7	15.0	9.8	11.9	6.4	13.7	10.8	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	17.3	39.7	33.4	26.7	20.6	39.9	29.9	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	8.5	32.7	22.5	21.3	10.3	34.7	22.2	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	8.4	34.8	23.7	22.5	11.7	35.4	23.3	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	1.5	1.3	1.7	--	1.8	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	9.0	5.3	6.7	7.0	8.7	6.1	6.9	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.5	0.5	0.1	0.9	0.5	0.6	0.5	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	1.8	3.5	1.4	4.0	1.8	4.3	2.7	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.6	0.2	0.0	0.7	0.5	0.3	0.4	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	0.3	2.0	1.1	1.4	0.5	2.1	1.2	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	1.3	4.8	2.6	3.8	1.3	4.9	3.2	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	2.3	1.7	1.5	2.4	2.5	1.7	2.0	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	1.4	6.5	3.8	4.4	1.4	5.2	4.2	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	2.1	4.4	4.2	2.6	1.6	3.5	3.4	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.6	0.0	1.2	--	0.8	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	17.0	41.2	32.5	28.0	19.6	40.3	30.4	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	11.2	15.5	14.2	12.9	10.9	15.3	13.6	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	15.0	22.1	21.4	16.9	15.3	22.6	18.9	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	32.1	62.7	53.4	44.7	35.0	62.0	49.0	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	6.9	6.2	6.6	5.9	7.2	6.1	6.5	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Monroe County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	8.7	29.6	19.8	20.9	10.2	29.5	20.3	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	3.9	14.4	9.0	10.3	3.1	16.6	9.6	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	2.1	0.9	1.6	1.3	1.4	1.3	1.4	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	7.9	22.6	16.4	16.1	11.0	21.5	16.2	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	5.7	17.5	9.1	15.5	7.3	17.3	12.4	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	5.8	20.6	10.9	17.0	7.8	20.8	14.1	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	0.5	0.5	0.5	--	0.6	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.3	0.9	1.2	1.8	1.9	1.3	1.5	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.6	1.0	0.7	1.0	0.6	1.3	0.8	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.0	0.2	0.0	0.3	0.0	0.3	0.1	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.1	0.2	0.4	0.0	0.1	0.3	0.2	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.0	0.5	0.0	0.5	0.0	0.6	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.2	1.3	0.9	0.7	0.2	1.3	0.8	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.4	0.5	0.6	1.2	1.2	0.7	0.9	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.5	1.9	0.3	2.0	0.4	2.5	1.3	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	0.7	1.6	2.2	0.2	0.6	0.3	1.2	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	9.4	23.8	15.8	18.8	10.8	22.8	17.4	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	4.7	5.9	5.8	4.8	4.0	5.7	5.4	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	5.0	16.9	12.7	10.7	6.4	16.5	11.6	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	14.0	40.2	27.6	29.5	16.9	38.7	28.5	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	5.5	11.2	8.3	9.0	6.9	10.0	8.7	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Monroe County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	40.8	67.2	55.8	31.5	70.7	53.7	23.7	59.7	44.2	19.9	57.7	41.8	23.4	51.4	39.2	25.1	56.8	42.6
Blacking Out	--	--	--	--	--	--	--	26.3	--	--	25.2	--	--	20.4	--	--	23.8	--
Cigarettes	15.1	34.5	26.1	10.3	34.1	23.8	9.2	21.5	16.2	5.4	16.6	11.8	6.4	15.0	11.3	5.7	15.0	10.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	17.3	39.7	29.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	8.5	32.7	22.2
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	12.0	37.9	26.8	16.8	39.2	29.4	--	--	--
Marijuana or Hashish	14.4	41.0	29.6	9.7	48.2	31.7	10.0	39.7	26.9	6.2	41.1	26.4	6.7	38.5	24.7	8.4	34.8	23.3
Synthetic Marijuana	--	--	--	--	23.0	--	--	11.3	--	--	4.0	--	--	4.8	--	--	1.5	--
Inhalants	12.6	9.0	10.5	9.4	8.5	8.9	4.4	5.6	5.1	3.8	4.2	4.1	7.9	4.4	5.9	9.0	5.3	6.9
Club Drugs	1.4	11.9	7.3	1.2	9.2	5.8	0.6	8.8	5.2	0.8	4.1	2.7	1.1	2.7	2.0	0.5	0.5	0.5
LSD, PCP or Mushrooms	1.9	11.6	7.4	2.9	13.2	8.8	1.2	7.6	4.8	1.2	6.1	4.0	1.2	3.9	2.7	1.8	3.5	2.7
Methamphetamine	0.8	2.7	1.9	1.7	1.7	1.7	0.7	0.9	0.8	0.8	0.6	0.7	0.0	1.0	0.5	0.6	0.2	0.4
Cocaine or Crack	1.8	9.5	6.2	1.6	7.7	5.1	0.7	4.9	3.1	0.5	5.1	3.1	0.9	3.4	2.3	0.3	2.0	1.2
Heroin	1.6	2.9	2.4	1.0	1.2	1.1	0.5	1.5	1.1	1.2	0.7	1.0	0.3	0.0	0.1	0.1	0.0	0.0
Prescription Depressants	3.6	17.3	11.4	3.4	15.8	10.4	1.5	11.5	7.2	0.8	6.7	4.2	2.4	4.7	3.7	1.3	4.8	3.2
Prescription Pain Relievers	5.5	13.2	9.9	4.4	16.3	11.1	2.0	10.7	6.9	3.3	7.4	5.7	2.5	3.1	2.8	2.3	1.7	2.0
Prescription Amphetamines	1.5	8.8	5.7	1.6	8.8	5.7	0.3	8.7	5.1	1.1	6.6	4.3	0.7	4.7	2.9	1.4	6.5	4.2
Over-the-Counter Drugs	4.2	13.1	9.2	3.9	8.5	6.5	2.3	11.1	7.3	1.6	5.7	4.0	2.8	4.6	3.8	2.1	4.4	3.4
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.5	--	--	0.2	--	--	0.6	--
Any illicit drug	26.3	46.5	37.8	18.9	53.9	38.7	15.4	44.3	31.8	13.0	43.7	30.7	15.2	41.5	30.0	17.0	41.2	30.4
Any illicit drug other than marijuana	19.9	30.9	26.1	14.8	30.8	23.9	9.4	26.9	19.3	9.3	20.7	15.8	10.1	15.5	13.1	11.2	15.5	13.6
Alcohol only	21.9	23.4	22.7	18.3	20.6	19.6	14.9	20.1	17.9	13.1	18.7	16.4	14.3	15.7	15.1	15.0	22.1	18.9
Alcohol or any illicit drug	47.9	69.7	60.3	37.0	73.9	57.9	30.3	64.3	49.6	25.8	62.2	46.7	29.2	56.9	44.8	32.1	62.7	49.0
Any illicit drug, but no alcohol	7.4	2.6	4.7	5.7	3.1	4.3	6.6	4.3	5.3	6.1	5.2	5.6	6.1	5.4	5.7	6.9	6.2	6.5

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Monroe County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	17.1	47.4	34.2	13.8	45.7	31.8	11.8	36.8	26.0	6.0	36.3	23.5	10.0	29.5	21.0	8.7	29.6	20.3
Binge Drinking	7.1	27.7	18.8	4.9	26.5	17.1	3.6	19.4	12.5	2.5	17.6	11.3	3.3	12.5	8.5	3.9	14.4	9.6
Cigarettes	2.2	14.7	9.2	2.1	13.7	8.7	1.6	10.0	6.4	1.1	3.7	2.6	1.0	1.4	1.2	2.1	0.9	1.4
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.9	22.6	16.2
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	5.7	17.5	12.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	4.2	13.0	9.3	8.7	23.4	17.0	--	--	--
Marijuana or Hashish	7.0	26.6	18.3	4.2	31.3	19.6	4.9	23.6	15.4	2.5	22.8	14.4	2.0	22.5	13.5	5.8	20.6	14.1
Synthetic Marijuana	--	--	--	--	6.9	--	--	1.2	--	--	0.2	--	--	1.8	--	--	0.5	--
Inhalants	5.6	3.7	4.5	3.4	2.0	2.6	1.1	0.4	0.7	2.0	1.5	1.7	1.9	0.9	1.3	2.3	0.9	1.5
Club Drugs	0.0	5.7	3.3	0.6	2.2	1.5	0.4	2.1	1.4	0.8	2.4	1.8	0.0	1.0	0.5	0.1	0.0	0.0
LSD, PCP or Mushrooms	0.0	5.0	2.9	0.8	3.4	2.3	0.0	1.7	1.0	1.2	1.7	1.5	0.3	0.4	0.3	0.6	1.0	0.8
Methamphetamine	0.2	1.8	1.1	1.2	0.6	0.9	0.4	0.0	0.2	0.9	0.4	0.6	0.0	0.3	0.2	0.0	0.2	0.1
Cocaine or Crack	0.3	3.9	2.3	0.8	2.7	1.9	0.4	2.4	1.5	0.0	3.0	1.7	0.3	1.1	0.8	0.1	0.2	0.2
Heroin	0.0	1.2	0.7	0.6	0.6	0.6	0.4	0.6	0.5	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.3
Prescription Depressants	0.6	6.3	3.9	1.4	6.6	4.4	0.5	3.5	2.2	0.3	1.7	1.1	0.8	1.0	0.9	0.2	1.3	0.8
Prescription Pain Relievers	2.1	4.1	3.2	2.9	3.9	3.5	0.3	3.3	2.0	1.8	2.0	1.9	0.6	1.1	0.9	1.4	0.5	0.9
Prescription Amphetamines	0.0	4.1	2.3	1.3	2.8	2.2	0.0	2.7	1.5	0.0	2.8	1.6	0.7	0.2	0.4	0.5	1.9	1.3
Over-the-Counter Drugs	1.1	4.5	3.0	2.4	3.7	3.1	1.1	3.0	2.2	1.1	1.9	1.6	1.1	1.6	1.4	0.7	1.6	1.2
Any illicit drug	13.2	31.5	23.6	10.1	35.6	24.5	7.0	25.4	17.4	6.1	26.4	17.8	4.9	24.0	15.6	9.4	23.8	17.4
Any illicit drug other than marijuana	8.1	16.7	13.0	7.3	14.6	11.4	3.2	10.1	7.1	4.4	11.5	8.5	3.7	4.2	4.0	4.7	5.9	5.4
Alcohol only	10.8	21.5	16.9	9.0	19.1	14.7	7.7	17.4	13.2	4.4	17.2	11.8	8.0	12.5	10.5	5.0	16.9	11.6
Alcohol or any illicit drug	24.3	52.9	40.6	18.7	53.6	38.5	15.1	41.8	30.3	10.5	43.4	29.4	12.6	35.9	25.7	14.0	40.2	28.5
Any illicit drug, but no alcohol	7.6	6.0	6.7	5.1	7.9	6.7	3.5	4.7	4.2	4.4	7.6	6.3	2.7	6.8	5.0	5.5	11.2	8.7

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Monroe County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	16.8	17.2	16.8	--	15.9	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	1.6	0.4	2.9	--	2.1	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	6.9	7.5	6.5	--	4.7	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	8.1	6.8	9.4	--	6.1	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	49.8	45.5	48.3	46.8	49.0	48.4	47.4	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	65.4	54.0	61.3	56.7	66.4	54.2	59.0	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	71.5	71.1	68.7	73.9	72.2	71.4	71.3	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	49.6	35.9	43.2	40.7	45.7	38.8	42.0	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	53.1	29.8	40.1	40.0	49.0	30.4	40.1	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	45.7	22.1	32.7	32.8	41.9	24.6	32.5	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	26.5	12.3	14.5	22.7	23.8	14.9	18.6	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	75.2	72.2	74.6	72.8	75.1	73.9	73.5	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	95.9	92.5	92.4	95.9	95.8	91.7	94.0	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	89.6	61.3	72.0	75.6	87.4	61.1	73.7	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	88.3	59.3	73.6	71.1	85.9	59.0	72.0	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	89.9	77.0	80.2	85.8	87.2	77.9	82.7	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	89.4	71.3	79.2	80.0	87.2	70.4	79.2	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	97.9	92.3	96.2	93.3	97.9	92.2	94.7	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	88.0	80.0	85.1	82.2	88.2	80.4	83.6	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	92.7	88.7	91.3	89.9	92.9	89.6	90.5	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	86.4	58.1	71.4	70.5	84.7	57.5	70.8	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	82.6	64.5	70.0	75.5	79.8	64.7	72.6	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	86.1	67.1	74.2	77.2	84.0	66.7	75.7	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	94.3	90.8	94.9	90.1	94.6	89.7	92.4	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Monroe County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	33.9	--	--	31.3	--	--	23.6	--	--	17.4	--	--	16.9	--	--	16.8	--
Drink monthly	--	7.3	--	--	7.4	--	--	3.3	--	--	4.4	--	--	1.7	--	--	1.6	--
Smoke cigarettes	--	16.3	--	--	17.0	--	--	9.8	--	--	8.0	--	--	5.3	--	--	6.9	--
Smoke marijuana	--	11.0	--	--	18.1	--	--	10.4	--	--	10.4	--	--	7.7	--	--	8.1	--
Great risk of harm																		
Daily alcohol use	39.0	34.2	36.2	39.0	33.6	35.9	42.2	32.2	36.5	48.2	30.3	37.9	43.4	41.8	42.5	49.8	45.5	47.4
5+ drinks daily	--	--	--	--	--	--	53.6	44.3	48.2	57.1	37.6	45.9	61.1	49.4	54.4	65.4	54.0	59.0
Daily cigarette use	71.5	66.6	68.7	70.2	70.1	70.1	70.9	67.7	69.0	68.8	72.0	70.7	69.5	73.1	71.6	71.5	71.1	71.3
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	49.6	35.9	42.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	53.1	29.8	40.1
Marijuana weekly*	--	--	--	--	--	--	49.4	20.6	33.0	52.9	16.8	32.2	51.1	20.9	33.9	45.7	22.1	32.5
Try marijuana	35.1	16.5	24.5	35.6	15.6	24.2	31.7	12.1	20.4	37.9	10.1	21.9	31.7	14.9	22.2	26.5	12.3	18.6
Prescription drugs	--	--	--	--	63.1	63.1	78.3	69.2	73.1	67.0	65.6	66.2	71.8	69.5	70.5	75.2	72.2	73.5
Think it wrong																		
Smoke cigarettes	91.6	73.0	81.0	93.3	75.7	83.2	95.8	84.7	89.5	95.7	85.8	90.0	96.8	93.4	94.9	95.9	92.5	94.0
Drink regularly	82.1	49.2	63.2	83.1	44.0	60.9	86.8	50.4	66.0	89.3	54.1	69.1	89.5	57.7	71.5	89.6	61.3	73.7
Smoke marijuana	86.5	58.9	70.7	89.5	53.9	69.2	90.7	55.6	70.6	89.6	53.2	68.8	90.2	52.3	68.8	88.3	59.3	72.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.9	77.0	82.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	89.4	71.3	79.2
Other illicit drugs	96.5	85.5	90.2	96.6	87.6	91.4	97.0	89.3	92.6	98.1	90.0	93.5	97.9	94.8	96.2	97.9	92.3	94.7
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	90.1	71.2	79.3	91.4	74.5	81.8	91.8	76.8	83.3	88.0	80.0	83.6
Smoke tobacco	--	--	--	--	--	--	96.0	82.0	88.0	96.8	84.4	89.7	96.6	88.8	92.2	92.7	88.7	90.5
Smoke marijuana	--	--	--	--	--	--	88.9	50.9	67.2	90.9	49.6	67.4	88.1	50.6	66.8	86.4	58.1	70.8
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.6	64.5	72.6
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.1	67.1	75.7
Prescription drugs	--	--	--	--	--	--	97.4	87.9	92.0	97.1	89.0	92.5	96.0	92.1	93.8	94.3	90.8	92.4

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Monroe County and Florida Statewide youth, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	11.9	1.4	23.8	--	13.3	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	1.1	2.2	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	21.5	21.3	21.7	--	22.1	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	33.4	42.0	23.6	--	38.4	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	12.6	11.2	14.2	--	7.9	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	19.4	21.9	16.6	--	18.3	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Monroe County and Florida Statewide youth, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	24.3	27.4	20.9	--	20.4	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	45.8	46.9	44.6	--	49.0	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	3.4	4.6	2.2	--	3.9	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	6.2	3.4	9.3	--	5.5	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	7.4	9.8	4.8	--	10.4	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	2.5	2.3	2.7	--	1.8	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	2.1	0.0	4.4	--	3.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	8.2	5.6	11.0	--	5.9	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Monroe County and Florida Statewide youth, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	15.3	20.6	9.1	--	12.7	--	--	31.9	34.7	28.6	--	32.9	--
2	--	21.1	31.9	8.8	--	20.1	--	--	21.8	24.0	19.2	--	21.1	--
3	--	13.0	17.7	7.7	--	10.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	16.7	9.8	24.5	--	18.1	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	33.9	19.9	49.9	--	39.1	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Monroe County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	3.0	5.0	4.9	3.5	4.0	4.6	4.1	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	4.1	18.6	12.2	12.4	6.7	18.9	12.2	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	3.2	3.1	3.1	3.0	3.6	3.3	3.2	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Monroe County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	7.9	5.5	1.9	10.9	7.0	5.6	6.5	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	2.0	4.2	1.1	5.1	2.3	3.8	3.2	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	2.0	1.0	1.2	1.7	2.6	0.4	1.5	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	1.9	1.4	0.0	3.1	1.7	1.8	1.6	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.6	0.0	0.0	0.5	0.5	0.0	0.3	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	9.5	10.0	7.5	12.1	8.8	9.1	9.8	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	6.0	2.4	3.1	4.5	5.8	2.2	4.0	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Monroe County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	2.8	3.9	3.4	5.3	3.2	4.1	5.0	6.5	5.8	4.7	6.5	5.7	7.5	4.7	5.9	7.9	5.5	6.5
Selling drugs	3.4	11.6	8.0	3.6	11.5	8.1	2.4	10.0	6.7	0.9	8.7	5.4	1.6	5.3	3.6	2.0	4.2	3.2
Attempting to steal a vehicle	1.3	4.0	2.8	1.8	2.1	2.0	0.6	1.4	1.0	1.1	1.2	1.2	1.5	0.9	1.2	2.0	1.0	1.5
Being arrested	3.2	5.0	4.2	1.7	2.5	2.2	0.3	4.0	2.4	1.6	2.5	2.1	0.2	0.7	0.5	1.9	1.4	1.6
Taking a handgun to school	0.0	1.4	0.8	0.4	1.0	0.7	0.1	0.6	0.4	0.6	0.8	0.7	0.0	0.0	0.0	0.6	0.0	0.3
Getting suspended	14.9	12.4	13.5	9.2	8.6	8.8	8.6	7.5	8.0	9.0	9.3	9.1	8.6	6.2	7.2	9.5	10.0	9.8
Attacking someone with intent to harm	7.4	8.1	7.8	8.0	6.0	6.9	3.4	3.8	3.6	4.0	3.6	3.8	8.3	1.7	4.7	6.0	2.4	4.0

Table 14. Percentages of Monroe County and Florida Statewide youth who reported symptoms of depression, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	27.0	24.4	35.2	15.7	27.1	23.8	25.5	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	46.4	37.2	54.9	28.5	45.8	36.2	41.3	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	29.0	21.9	31.6	18.7	27.7	22.8	25.1	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	43.4	42.7	57.8	29.1	44.2	41.7	43.0	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Monroe County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	7.0	9.1	14.1	2.4	6.3	10.2	8.2	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	43.1	19.5	28.0	30.9	40.0	21.8	29.9	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	68.9	50.0	67.3	49.4	67.7	51.2	58.3	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	28.7	30.0	36.3	22.0	29.1	31.3	29.4	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	17.4	10.5	10.3	16.0	16.8	10.5	13.5	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	35.2	29.1	28.0	34.8	33.6	31.1	31.7	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	9.3	10.9	10.6	9.3	9.2	11.3	10.2	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Monroe County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	11.4	17.9	4.6	--	11.2	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	7.4	10.7	4.4	--	6.4	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	3.4	5.6	1.4	--	3.1	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	35.6	40.7	29.8	--	37.2	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	7.9	10.7	5.0	--	7.5	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	24.2	27.2	20.2	--	25.5	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	27.3	31.9	21.8	--	26.8	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	25.6	23.8	26.3	--	25.9	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	22.4	28.6	16.0	--	19.9	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	6.1	6.4	5.9	--	4.7	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Monroe County and Florida Statewide high school youth, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
No ACEs reported	--	40.4	30.1	50.7	--	39.9	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	21.2	23.0	19.7	--	20.8	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	10.9	14.7	7.4	--	12.4	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	9.4	11.0	8.1	--	9.7	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	6.4	7.0	5.8	--	6.9	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	4.6	6.2	2.7	--	3.9	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	2.6	2.4	2.0	--	2.2	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.9	3.4	2.4	--	2.4	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	1.3	1.5	1.2	--	1.4	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.3	0.6	0.0	--	0.4	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.0	0.0	0.0	--	0.0	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Monroe County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	24.8	27.3	28.4	23.8	25.3	27.8	26.2	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	28.2	20.3	23.2	24.3	27.0	21.8	23.8	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	24.4	29.1	27.1	26.7	27.0	27.7	27.0	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	25.2	23.8	20.2	27.9	26.0	24.3	24.4	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	33.0	24.9	25.8	30.6	30.5	27.4	28.5	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	50.2	34.6	46.0	37.3	48.3	36.4	41.5	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Monroe County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Monroe County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	39.4	48.5	46.0	43.5	41.5	45.9	44.5	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	48.6	17.2	29.2	33.2	43.6	18.8	31.1	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	17.9	7.2	10.6	13.1	16.4	6.7	11.9	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	31.0	39.5	48.3	23.6	32.1	37.7	35.7	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	8.9	13.8	13.0	10.2	9.7	12.9	11.6	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Monroe County and Florida Statewide youth, 2020

	Monroe County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	15.4	14.2	16.9	--	16.1	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	23.1	24.9	21.1	--	23.4	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	7.2	6.1	8.4	--	8.2	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	12.0	10.6	13.7	--	12.9	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Monroe County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	30.9	--	--	21.6	--	--	20.0	--	--	15.6	--	--	15.4	--
Marijuana	--	--	--	--	32.4	--	--	29.9	--	--	29.7	--	--	32.7	--	--	23.1	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	15.2	--	--	8.9	--	--	9.6	--	--	4.8	--	--	7.2	--
Marijuana	--	--	--	--	17.1	--	--	11.0	--	--	13.2	--	--	13.4	--	--	12.0	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Monroe County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Monroe County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	56	64	57	57	59	54
	Family Rewards for Prosocial Involvement	50	60	50	53	54	55
School	School Opportunities for Prosocial Involvement	59	64	51	60	57	60
	School Rewards for Prosocial Involvement	47	60	44	54	53	58
Peer and Individual	Religiosity	36	43	42	52	56	62
Average Prevalence Rate		50	58	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Monroe County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Monroe County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	39	32	41	32	42	42
	Perceived Availability of Drugs	40	26	34	20	45	45
	Perceived Availability of Handguns	24	24	23	31	25	42
Family	Poor Family Management	43	33	43	35	44	45
	Family Conflict	40	28	42	34	42	37
School	Poor Academic Performance	45	48	46	46	45	48
	Lack of Commitment to School	71	68	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	51	40	49	38	40	46
	Favorable Attitudes toward ATOD Use	37	39	35	32	39	45
	Early Initiation of Drug Use	26	24	24	17	41	46
Average Prevalence Rate		42	36	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Monroe County, 2010 to 2020

Domain	Scale	Monroe County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	61	56	55	62	56
	Family Rewards for Prosocial Involvement	47	57	54	51	48	50
School	School Opportunities for Prosocial Involvement	49	53	43	56	53	59
	School Rewards for Prosocial Involvement	51	55	49	57	49	47
Peer and Individual	Religiosity	38	42	38	32	38	36
Average Prevalence Rate		48	54	48	50	50	50

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Monroe County, 2010 to 2020

Domain	Scale	Monroe County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	48	38	39	33	45	39
	Perceived Availability of Drugs	60	51	43	36	43	40
	Perceived Availability of Handguns	27	26	23	23	24	24
Family	Poor Family Management	50	37	44	42	44	43
	Family Conflict	48	36	36	39	37	40
School	Poor Academic Performance	43	44	43	38	39	45
	Lack of Commitment to School	68	50	59	59	64	71
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	53	43	40	38	41	51
	Favorable Attitudes toward ATOD Use	44	36	31	29	34	37
	Early Initiation of Drug Use	39	30	25	20	22	26
Average Prevalence Rate		48	39	38	36	39	42

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Monroe County, 2010 to 2020

Domain	Scale	Monroe County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	56	57	60	60	54	64
	Family Rewards for Prosocial Involvement	51	53	55	57	49	60
School	School Opportunities for Prosocial Involvement	54	58	61	63	64	64
	School Rewards for Prosocial Involvement	58	63	59	63	58	60
Peer and Individual	Religiosity	43	38	46	46	37	43
Average Prevalence Rate		52	54	56	58	52	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Monroe County, 2010 to 2020

Domain	Scale	Monroe County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	41	47	46	38	41	32
	Perceived Availability of Drugs	47	45	45	33	31	26
	Perceived Availability of Handguns	30	27	41	39	35	24
Family	Poor Family Management	49	47	40	44	43	33
	Family Conflict	32	34	28	30	31	28
School	Poor Academic Performance	44	46	37	39	41	48
	Lack of Commitment to School	61	57	56	58	60	68
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	44	40	36	38	35	40
	Favorable Attitudes toward ATOD Use	50	51	47	46	40	39
	Early Initiation of Drug Use	40	42	29	24	22	24
Average Prevalence Rate		44	44	41	39	38	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.