

2020 Florida Youth Substance Abuse Survey

Putnam County Data Tables

Table 1. Major demographic characteristics of surveyed Putnam County and Florida Statewide youth, 2020

	Putnam County		Florida Statewide	
	N	%	N	%
Sex				
Female	369	49.0	25,191	48.4
Male	380	50.5	26,328	50.5
Race/Ethnic group				
African American	146	19.4	11,284	21.7
American Indian	18	2.4	491	0.9
Asian	6	0.8	671	1.3
Hispanic/Latino	126	16.7	11,091	21.3
Native Hawaiian/Pacific Islander	2	0.3	68	0.1
Other/Multiple	134	17.8	7,227	13.9
White, non-Hispanic	317	42.1	20,904	40.1
Age				
10	1	0.1	44	0.1
11	58	7.7	3,151	6.0
12	118	15.7	7,124	13.7
13	114	15.1	7,698	14.8
14	93	12.4	7,616	14.6
15	85	11.3	7,582	14.6
16	121	16.1	7,502	14.4
17	87	11.6	7,073	13.6
18	68	9.0	3,807	7.3
19 or older	8	1.1	394	0.8
Grade				
6th	136	18.1	7,718	14.8
7th	132	17.5	7,555	14.5
8th	80	10.6	7,632	14.6
9th	103	13.7	7,668	14.7
10th	103	13.7	7,481	14.4
11th	113	15.0	7,117	13.7
12th	86	11.4	6,923	13.3
Overall Middle School	348	46.2	22,904	44.0
Overall High School	405	53.8	29,189	56.0
Total	753	100.0	52,093	100.0

Note: Some categories do not sum to 100% of the total due to missing values (e.g., not all survey questions were answered). In addition, rounding can produce totals that do not equal 100%. “N” represents the number of valid cases. In this table, county data are unweighted while statewide data are weighted.

Table 2. Percentages of Putnam County and Florida Statewide youth who reported having used various drugs in their lifetimes, 2020

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	18.6	43.8	35.7	27.5	21.5	44.0	31.6	23.0	44.9	38.3	32.5	24.4	44.8	35.3
Blacking Out	--	15.0	20.0	9.8	--	15.8	--	--	13.8	14.2	13.3	--	13.4	--
Cigarettes	10.1	16.4	16.5	10.3	9.7	17.3	13.3	6.1	11.3	8.5	9.6	6.2	11.1	9.0
Vaping Nicotine	23.5	33.0	33.4	23.3	22.7	35.6	28.4	13.5	30.0	24.9	20.8	14.8	30.1	22.8
Vaping Marijuana	10.5	22.1	17.9	14.8	9.6	22.4	16.4	6.8	22.2	16.6	14.5	7.5	22.3	15.5
Marijuana or Hashish	12.3	34.9	26.7	21.1	12.5	34.5	23.9	8.2	29.2	21.0	19.2	9.3	29.2	20.1
Synthetic Marijuana	--	2.9	2.8	3.0	--	2.9	--	--	2.9	2.9	2.9	--	2.8	--
Inhalants	7.2	6.7	9.4	4.3	7.3	7.4	6.9	8.3	5.1	7.7	5.2	8.1	5.0	6.5
Club Drugs	0.8	1.4	0.9	1.3	0.5	1.9	1.1	0.7	2.1	1.3	1.8	0.7	2.1	1.5
LSD, PCP or Mushrooms	3.8	2.0	2.2	3.5	3.0	1.8	2.9	1.1	4.3	2.5	3.4	1.1	4.3	2.9
Methamphetamine	0.7	1.2	1.0	0.9	0.5	1.6	1.0	0.7	0.8	0.6	0.9	0.6	0.9	0.8
Cocaine or Crack Cocaine	1.8	2.5	1.8	2.3	1.2	3.5	2.1	0.9	1.7	1.3	1.4	0.8	1.6	1.3
Heroin	0.6	0.0	0.5	0.0	0.5	0.0	0.3	0.5	0.6	0.4	0.6	0.4	0.6	0.5
Prescription Depressants	2.5	4.8	4.8	2.6	2.3	4.9	3.7	2.2	4.9	4.2	3.2	2.4	4.9	3.7
Prescription Pain Relievers	3.4	2.9	4.6	1.6	3.8	2.1	3.1	2.9	3.2	3.7	2.5	2.9	3.1	3.1
Prescription Amphetamines	2.2	2.2	3.4	1.1	2.3	2.6	2.2	2.1	4.5	3.7	3.2	2.3	4.4	3.4
Over-the-Counter Drugs	3.3	3.4	4.2	2.5	3.4	3.7	3.3	3.0	4.3	3.9	3.5	3.0	4.3	3.7
Needle to Inject Illegal Drugs	--	0.5	0.6	0.4	--	0.6	--	--	0.7	0.6	0.9	--	0.8	--
Any illicit drug	21.6	39.9	37.3	24.7	22.0	39.5	31.0	18.7	35.7	31.0	25.6	19.7	35.5	28.3
Any illicit drug other than marijuana	14.1	13.7	16.9	10.7	13.8	14.8	13.9	13.2	15.2	15.9	12.7	13.2	15.0	14.3
Alcohol only	6.6	13.5	10.1	10.4	9.0	12.7	10.2	11.9	17.1	15.3	14.3	12.5	17.1	14.8
Alcohol or any illicit drug	27.8	52.8	47.0	34.4	30.6	51.9	40.6	30.4	52.4	46.1	39.6	32.0	52.2	42.8
Any illicit drug, but no alcohol	9.9	9.7	11.6	8.0	9.8	8.3	9.8	7.5	7.7	7.9	7.3	7.7	7.5	7.6

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 3. Percentages of Putnam County and Florida Statewide youth who reported having used various drugs in the past 30 days, 2020

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Alcohol	7.8	21.3	17.9	11.6	8.1	21.1	14.7	8.2	19.9	15.9	13.7	8.7	19.7	14.8
Binge Drinking	3.6	12.9	9.3	7.5	4.1	11.9	8.4	3.4	9.2	6.8	6.4	3.6	8.9	6.7
Cigarettes	0.2	3.4	2.7	0.9	0.1	3.3	1.8	1.1	2.4	1.4	2.1	1.1	2.3	1.8
Vaping Nicotine	7.8	13.8	12.3	9.5	7.7	13.7	10.9	5.8	15.6	12.3	10.4	6.5	15.6	11.4
Vaping Marijuana	2.7	7.9	6.3	4.5	2.8	7.9	5.4	3.0	10.6	7.3	7.3	3.4	10.6	7.3
Marijuana or Hashish	5.1	19.5	13.4	11.8	4.8	17.3	12.5	3.8	15.9	10.6	10.7	4.4	15.8	10.7
Synthetic Marijuana	--	1.4	1.3	1.6	--	1.7	--	--	0.9	0.8	1.0	--	0.9	--
Inhalants	2.0	2.0	3.0	1.1	2.2	1.2	2.0	2.8	1.2	2.4	1.4	2.6	1.2	1.9
Club Drugs	0.1	0.8	0.2	0.8	0.1	0.7	0.5	0.3	0.6	0.4	0.6	0.3	0.7	0.5
LSD, PCP or Mushrooms	0.7	0.6	0.5	0.7	0.5	0.7	0.7	0.4	1.3	0.7	1.2	0.4	1.4	0.9
Methamphetamine	0.4	0.9	0.9	0.4	0.3	0.9	0.7	0.4	0.4	0.3	0.5	0.3	0.5	0.4
Cocaine or Crack Cocaine	0.4	1.2	0.6	1.0	0.4	1.2	0.8	0.3	0.5	0.4	0.5	0.3	0.6	0.4
Heroin	0.4	0.0	0.1	0.3	0.3	0.0	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2
Prescription Depressants	0.4	1.1	0.7	0.8	0.6	0.8	0.8	0.8	1.2	1.0	1.0	0.8	1.3	1.0
Prescription Pain Relievers	1.7	2.0	2.2	1.5	2.2	1.0	1.8	1.2	1.0	1.3	0.8	1.2	1.0	1.1
Prescription Amphetamines	0.9	1.1	1.6	0.4	1.4	0.8	1.0	0.8	1.3	1.1	1.1	1.0	1.2	1.1
Over-the-Counter Drugs	1.3	1.9	2.5	0.7	1.5	2.2	1.6	1.4	1.3	1.4	1.2	1.4	1.3	1.3
Any illicit drug	10.0	22.7	18.4	14.7	9.8	19.7	16.5	8.8	19.5	15.5	14.1	9.2	19.4	14.8
Any illicit drug other than marijuana	4.9	5.6	6.4	4.1	5.4	4.7	5.2	5.7	5.4	6.0	5.0	5.5	5.5	5.5
Alcohol only	2.4	8.7	6.8	4.5	3.3	9.4	5.7	4.9	10.0	8.6	7.0	5.1	9.9	7.7
Alcohol or any illicit drug	12.3	31.2	25.0	19.1	13.0	29.2	22.0	13.6	29.1	23.9	20.8	14.2	29.0	22.3
Any illicit drug, but no alcohol	4.4	10.3	6.9	7.9	4.8	8.4	7.4	5.5	9.4	8.1	7.2	5.6	9.5	7.7

Note: The first 17 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. The symbol "--" indicates that data are not available.

Table 4. Lifetime trend in alcohol, tobacco and other drug use for Putnam County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	43.2	64.1	54.4	34.3	68.4	52.1	31.1	58.4	45.5	27.5	54.0	42.2	22.2	46.0	35.2	18.6	43.8	31.6
Blacking Out	--	--	--	--	--	--	--	24.7	--	--	22.7	--	--	15.0	--	--	15.0	--
Cigarettes	30.9	39.5	35.5	19.4	38.6	29.4	18.0	35.7	27.2	14.0	29.0	22.2	13.0	19.0	16.2	10.1	16.4	13.3
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	23.5	33.0	28.4
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	10.5	22.1	16.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	19.2	38.6	29.8	18.3	27.4	23.2	--	--	--
Marijuana or Hashish	21.2	31.6	26.8	13.9	49.4	32.9	17.7	38.9	28.9	11.5	36.8	25.6	14.9	27.7	21.8	12.3	34.9	23.9
Synthetic Marijuana	--	--	--	--	24.6	--	--	11.5	--	--	5.8	--	--	2.0	--	--	2.9	--
Inhalants	12.3	7.7	9.8	10.1	9.6	9.8	10.9	4.9	7.7	7.7	3.4	5.3	7.4	3.7	5.4	7.2	6.7	6.9
Club Drugs	4.1	4.8	4.5	2.9	6.4	4.8	0.7	2.9	1.9	0.5	2.5	1.6	0.4	1.8	1.2	0.8	1.4	1.1
LSD, PCP or Mushrooms	3.1	6.3	4.8	1.6	5.1	3.5	2.3	3.2	2.8	1.4	3.3	2.5	0.7	2.7	1.8	3.8	2.0	2.9
Methamphetamine	1.0	1.8	1.5	1.3	0.0	0.6	1.1	0.5	0.8	0.4	0.6	0.5	0.9	0.7	0.8	0.7	1.2	1.0
Cocaine or Crack	2.4	4.1	3.3	2.0	5.8	4.1	2.3	2.6	2.5	0.9	1.7	1.3	1.0	2.3	1.7	1.8	2.5	2.1
Heroin	0.9	1.3	1.1	1.4	3.0	2.3	1.0	0.5	0.7	0.6	0.5	0.6	0.1	0.3	0.2	0.6	0.0	0.3
Prescription Depressants	2.2	6.5	4.5	3.0	7.8	5.6	2.0	5.4	3.8	2.7	4.7	3.8	2.3	4.3	3.4	2.5	4.8	3.7
Prescription Pain Relievers	7.6	11.4	9.6	5.8	12.6	9.5	3.2	8.3	5.9	3.4	5.2	4.4	3.5	4.4	4.0	3.4	2.9	3.1
Prescription Amphetamines	2.0	3.3	2.7	1.8	4.0	3.0	1.0	5.2	3.2	0.9	2.9	2.0	1.8	1.3	1.5	2.2	2.2	2.2
Over-the-Counter Drugs	5.1	6.8	6.0	5.2	15.2	10.6	4.6	8.4	6.6	4.4	5.1	4.8	4.3	5.0	4.7	3.3	3.4	3.3
Needle to Inject Drugs	--	--	--	--	--	--	--	--	--	--	1.4	--	--	1.2	--	--	0.5	--
Any illicit drug	29.3	36.7	33.3	22.7	52.0	38.2	23.9	47.7	36.2	21.5	38.8	31.1	22.1	31.4	27.1	21.6	39.9	31.0
Any illicit drug other than marijuana	19.3	21.1	20.3	14.7	22.4	18.8	16.7	20.9	18.9	15.6	15.1	15.3	13.9	12.9	13.3	14.1	13.7	13.9
Alcohol only	19.6	30.7	25.6	17.8	19.1	18.5	13.8	18.9	16.4	12.3	21.0	17.2	9.0	20.9	15.4	6.6	13.5	10.2
Alcohol or any illicit drug	49.0	67.2	58.8	40.4	70.6	56.3	37.7	66.8	52.9	33.2	59.6	47.7	30.7	52.0	42.2	27.8	52.8	40.6
Any illicit drug, but no alcohol	6.0	3.5	4.6	6.5	4.4	5.4	7.0	8.6	7.9	6.4	5.7	6.0	8.8	6.3	7.4	9.9	9.7	9.8

Note: The first 19 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. For "Blacking Out," respondents were asked on how many occasions in their lifetime they woke up after a night of drinking and did not remember the things they did or the places they went. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 5. Past-30-day trend in alcohol, tobacco and other drug use for Putnam County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Alcohol	22.5	40.1	32.0	17.5	43.6	31.2	15.1	28.5	22.1	11.0	33.0	23.3	7.4	23.1	16.0	7.8	21.3	14.7
Binge Drinking	12.6	21.3	17.3	9.2	26.9	18.5	5.8	17.1	11.6	4.9	16.2	11.2	2.8	10.9	7.3	3.6	12.9	8.4
Cigarettes	10.7	15.3	13.2	7.6	16.7	12.4	5.1	14.1	9.8	2.7	10.8	7.1	1.4	6.2	4.0	0.2	3.4	1.8
Vaping Nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	7.8	13.8	10.9
Vaping Marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	2.7	7.9	5.4
Vaporizer / E-Cigarette	--	--	--	--	--	--	--	--	--	6.5	17.5	12.5	4.7	9.9	7.5	--	--	--
Marijuana or Hashish	13.0	20.2	16.9	7.6	27.4	18.2	7.3	20.8	14.4	5.2	18.5	12.7	5.8	15.6	11.2	5.1	19.5	12.5
Synthetic Marijuana	--	--	--	--	8.8	--	--	1.2	--	--	1.0	--	--	0.9	--	--	1.4	--
Inhalants	8.0	1.7	4.6	3.4	1.8	2.5	3.5	0.7	2.0	1.7	0.7	1.2	3.3	1.2	2.2	2.0	2.0	2.0
Club Drugs	2.0	1.2	1.6	1.4	4.8	3.2	0.6	0.1	0.3	0.0	0.6	0.3	0.3	0.0	0.1	0.1	0.8	0.5
LSD, PCP or Mushrooms	1.7	1.1	1.4	0.2	1.1	0.7	0.6	0.6	0.6	0.5	1.5	1.1	0.8	0.2	0.5	0.7	0.6	0.7
Methamphetamine	1.0	0.5	0.7	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.4	0.3	0.8	0.0	0.3	0.4	0.9	0.7
Cocaine or Crack	0.7	1.1	0.9	0.8	5.9	3.5	0.7	0.5	0.6	0.2	0.7	0.5	0.6	0.6	0.6	0.4	1.2	0.8
Heroin	0.7	0.4	0.5	0.8	1.8	1.3	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.0	0.0	0.4	0.0	0.2
Prescription Depressants	1.4	3.2	2.4	1.4	3.6	2.6	1.1	0.6	0.8	0.9	1.6	1.3	1.3	1.3	1.3	0.4	1.1	0.8
Prescription Pain Relievers	4.0	5.3	4.7	2.8	5.9	4.5	1.4	2.2	1.8	1.7	1.9	1.8	0.6	0.8	0.7	1.7	2.0	1.8
Prescription Amphetamines	0.2	0.6	0.4	1.3	2.9	2.1	0.9	0.8	0.9	0.7	0.7	0.7	0.5	0.5	0.5	0.9	1.1	1.0
Over-the-Counter Drugs	2.3	2.5	2.4	3.3	10.0	6.8	2.6	3.6	3.1	2.7	2.2	2.4	1.1	2.2	1.7	1.3	1.9	1.6
Any illicit drug	19.6	23.5	21.7	13.6	31.0	22.8	11.2	24.7	18.2	10.5	21.0	16.3	10.4	18.0	14.6	10.0	22.7	16.5
Any illicit drug other than marijuana	11.8	10.1	10.9	9.3	12.7	11.1	7.5	7.7	7.6	6.9	6.5	6.7	6.5	4.8	5.6	4.9	5.6	5.2
Alcohol only	12.4	22.1	17.6	9.5	19.1	14.6	9.1	13.6	11.5	6.4	18.3	13.1	4.8	12.9	9.3	2.4	8.7	5.7
Alcohol or any illicit drug	31.8	45.2	39.0	23.2	49.0	36.8	20.3	37.9	29.4	16.4	39.1	28.8	14.4	30.3	23.0	12.3	31.2	22.0
Any illicit drug, but no alcohol	9.9	5.3	7.4	6.1	7.0	6.6	5.6	9.7	7.7	5.8	6.0	5.9	7.2	7.5	7.3	4.4	10.3	7.4

Note: The first 18 data rows show results for alcohol, cigarettes, and other drugs. The last five data rows show results for various combinations of drugs. Binge drinking is defined as having had five or more alcoholic drinks in a row in the past two weeks. Ecstasy, Rohypnol, GHB and ketamine are provided as examples in the question about club drugs. In 2020, the vaping/e-cigarette item was replaced with separate questions about vaping nicotine and vaping marijuana. The symbol "--" indicates that data are not available.

Table 6. Percentages of Putnam County and Florida Statewide youth who reported early ATOD use, perceived risk of harm, personal disapproval, and peer disapproval, 2020

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
Early ATOD use														
More than a sip of alcohol	--	18.0	21.6	14.7	--	17.8	--	--	15.9	16.4	15.4	--	15.3	--
Drinking at least once a month	--	4.3	3.0	5.5	--	3.2	--	--	2.7	2.9	2.5	--	2.5	--
Smoke cigarettes	--	9.0	12.3	5.8	--	10.5	--	--	5.9	5.6	6.2	--	5.8	--
Smoke marijuana	--	12.0	12.7	11.4	--	11.0	--	--	8.2	7.6	8.8	--	7.9	--
Great risk of harm														
1 or 2 drinks nearly every day	43.1	34.9	39.4	38.7	42.5	34.8	38.9	49.1	43.1	48.4	43.1	48.3	43.7	45.7
5+ drinks once or twice a week	55.6	44.6	53.0	47.1	54.0	45.1	50.0	61.1	54.2	60.4	54.1	60.6	54.6	57.2
1+ packs of cigarettes per day	61.1	59.0	60.4	59.8	59.5	62.0	60.0	65.4	66.3	67.3	64.5	65.6	66.5	65.9
Vaping nicotine	42.2	39.9	42.5	39.8	41.3	41.5	41.0	50.4	40.5	46.7	43.1	49.3	40.7	44.8
Vaping marijuana	43.9	33.4	38.3	38.9	42.7	35.1	38.5	52.6	35.1	44.1	41.5	50.8	35.5	42.8
Marijuana once or twice a week	41.0	20.2	28.9	31.9	38.7	22.0	30.3	46.8	22.9	34.1	32.8	44.7	23.2	33.4
Try marijuana once or twice	28.4	14.8	19.9	23.1	27.2	15.4	21.5	32.3	16.0	22.7	23.6	30.7	16.2	23.1
Use prescription drugs	68.8	63.0	63.7	68.0	66.7	65.4	65.8	68.5	66.8	69.4	65.8	68.6	66.9	67.6
Think it would be wrong to...														
Smoke cigarettes	96.7	92.0	93.7	94.7	96.7	91.2	94.2	96.1	91.6	93.8	93.3	95.9	92.3	93.5
Drink alcohol regularly	88.0	71.1	78.4	79.9	85.9	71.7	79.1	88.7	70.3	77.4	79.2	87.6	70.7	78.3
Smoke marijuana	84.6	62.6	70.0	76.3	83.7	62.9	73.0	89.4	63.2	73.9	75.4	87.6	63.6	74.6
Vape nicotine	84.3	81.3	82.7	82.9	84.5	80.6	82.7	90.2	79.9	83.7	85.0	89.5	80.5	84.4
Vape marijuana	87.3	74.4	78.5	82.6	87.8	71.5	80.5	91.6	75.0	81.7	82.8	90.6	75.3	82.2
Use other illicit drugs	95.2	92.2	95.6	91.6	95.3	91.0	93.6	97.5	93.5	95.9	94.6	97.4	93.6	95.3
Friends think it would be wrong to...														
1 or 2 drinks nearly every day	89.8	76.8	80.4	85.7	89.1	76.2	83.1	91.3	82.8	87.6	85.7	90.9	82.7	86.6
Smoke tobacco	95.6	85.1	89.4	91.1	94.6	86.9	90.2	94.4	88.8	92.1	90.6	94.1	89.2	91.3
Smoke marijuana	83.7	59.9	66.7	76.1	83.2	60.0	71.4	87.9	61.8	73.0	73.6	86.2	61.5	73.3
Vape nicotine	82.6	72.2	74.6	79.9	83.1	70.9	77.2	87.8	72.7	78.3	80.3	86.4	72.8	79.3
Vape marijuana	86.1	68.0	73.7	79.8	86.0	67.1	76.7	90.0	70.7	78.9	79.5	88.6	70.6	79.2
Use prescription drugs	93.5	94.3	93.4	94.6	94.2	93.0	93.9	95.2	91.5	93.7	92.6	94.9	91.3	93.1

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

Table 7. Trends in early ATOD use and attitudes toward substance use for Putnam County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total	Middle School	High School	Total
Early ATOD use																		
Try alcohol	--	28.9	--	--	28.1	--	--	26.9	--	--	19.8	--	--	20.9	--	--	18.0	--
Drink monthly	--	9.5	--	--	12.9	--	--	7.3	--	--	5.2	--	--	4.3	--	--	4.3	--
Smoke cigarettes	--	26.2	--	--	23.1	--	--	19.6	--	--	14.9	--	--	14.2	--	--	9.0	--
Smoke marijuana	--	15.7	--	--	25.6	--	--	16.2	--	--	17.7	--	--	11.7	--	--	12.0	--
Great risk of harm																		
Daily alcohol use	34.2	39.1	36.8	38.5	35.9	37.1	37.0	32.6	34.7	37.6	29.8	33.4	41.8	33.2	37.2	43.1	34.9	38.9
5+ drinks daily	--	--	--	--	--	--	49.0	41.0	44.9	46.5	41.2	43.6	52.3	47.6	49.8	55.6	44.6	50.0
Daily cigarette use	55.2	64.0	59.9	61.0	53.7	57.2	59.6	58.4	59.0	58.1	60.0	59.1	61.9	57.2	59.3	61.1	59.0	60.0
Vaping nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	42.2	39.9	41.0
Vaping marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	43.9	33.4	38.5
Marijuana weekly*	--	--	--	--	--	--	39.8	24.2	31.7	39.2	23.7	30.7	40.4	21.7	30.3	41.0	20.2	30.3
Try marijuana	35.1	27.1	30.8	41.3	23.8	32.1	24.2	17.8	20.8	29.3	20.4	24.5	28.8	16.8	22.3	28.4	14.8	21.5
Prescription drugs	--	--	--	--	58.7	58.7	71.4	66.3	68.7	65.6	67.2	66.5	66.2	70.2	68.4	68.8	63.0	65.8
Think it wrong																		
Smoke cigarettes	82.1	72.0	76.7	89.1	69.2	78.6	90.7	77.1	83.6	92.4	79.7	85.5	94.2	85.0	89.2	96.7	92.0	94.2
Drink regularly	73.6	53.0	62.5	80.7	55.8	67.5	81.2	57.3	68.7	81.2	56.1	67.5	81.2	61.6	70.6	88.0	71.1	79.1
Smoke marijuana	79.8	67.2	73.0	86.3	60.5	72.6	85.2	63.2	73.7	82.0	57.7	68.8	80.6	60.2	69.5	84.6	62.6	73.0
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	84.3	81.3	82.7
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	87.3	74.4	80.5
Other illicit drugs	93.2	93.9	93.6	96.5	89.8	93.0	98.1	94.6	96.2	96.8	94.3	95.5	95.9	95.8	95.8	95.2	92.2	93.6
Friends think it wrong																		
Daily alcohol use	--	--	--	--	--	--	85.2	64.8	74.5	84.9	68.0	75.6	85.1	75.6	79.9	89.8	76.8	83.1
Smoke tobacco	--	--	--	--	--	--	90.2	73.4	81.4	88.8	79.2	83.6	92.0	82.5	86.9	95.6	85.1	90.2
Smoke marijuana	--	--	--	--	--	--	80.7	53.9	66.6	80.3	57.0	67.5	81.6	58.3	69.0	83.7	59.9	71.4
Vape nicotine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	82.6	72.2	77.2
Vape marijuana	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	86.1	68.0	76.7
Prescription drugs	--	--	--	--	--	--	95.8	89.0	92.2	95.3	92.3	93.6	95.6	94.0	94.7	93.5	94.3	93.9

Note: Early ATOD use is defined as the percentage of high school students who started using at age 13 or younger. The symbol "--" indicates that data are not available.

* In 2014, the description of marijuana use in the risk of harm question was changed from "regularly" to "once or twice a week." For these items, care should be exercised when comparing 2014 data to previous years.

Table 8. Among high school drinkers, usual source of alcohol within the past 30 days, Putnam County and Florida Statewide youth, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Bought in a store	--	13.6	8.0	22.7	--	12.4	--	--	6.5	4.6	8.9	--	5.9	--
Bought in a restaurant, bar, or club	--	0.0	0.0	0.0	--	0.0	--	--	1.9	1.9	2.0	--	1.5	--
Bought at a public event	--	0.0	0.0	0.0	--	0.0	--	--	1.2	0.7	1.7	--	1.1	--
Someone bought it for me	--	28.5	27.5	30.1	--	28.9	--	--	13.8	12.9	15.0	--	13.5	--
Someone gave it to me	--	37.9	44.0	27.9	--	35.1	--	--	40.2	42.9	36.9	--	41.1	--
Took it from a store	--	0.0	0.0	0.0	--	0.0	--	--	1.6	0.8	2.5	--	1.7	--
Took it from a family member	--	8.7	9.8	6.7	--	10.0	--	--	15.8	17.6	13.7	--	16.3	--
Some other way	--	11.4	10.7	12.6	--	13.6	--	--	19.0	18.7	19.3	--	18.8	--

Note: The symbol "--" indicates that data are not available.

Table 9. Among high school drinkers, usual drinking location within the past 30 days, Putnam County and Florida Statewide youth, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
My home	--	33.5	31.2	37.4	--	44.2	--	--	42.7	44.1	40.8	--	43.3	--
Another person's home	--	40.5	45.6	31.5	--	33.6	--	--	35.2	37.2	33.0	--	35.4	--
Car or other vehicle	--	7.1	9.1	3.7	--	4.2	--	--	2.4	1.9	3.0	--	2.5	--
Restaurant, bar, or club	--	2.5	0.0	6.7	--	3.8	--	--	3.0	3.5	2.6	--	2.2	--
Public place	--	2.9	0.0	7.8	--	1.5	--	--	3.8	2.5	5.5	--	4.2	--
Public event	--	2.0	3.2	0.0	--	3.1	--	--	1.6	1.3	1.9	--	1.4	--
School property	--	0.0	0.0	0.0	--	0.0	--	--	1.2	1.0	1.4	--	1.2	--
Some other place	--	11.6	10.9	12.9	--	9.6	--	--	10.2	8.7	11.8	--	9.9	--

Note: The symbol "--" indicates that data are not available.

Table 10. Among high school drinkers, number of drinks usually consumed per day, on the days students drank in the past 30 days, Putnam County and Florida Statewide youth, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
1	--	20.0	21.1	17.8	--	21.2	--	--	31.9	34.7	28.6	--	32.9	--
2	--	24.3	24.2	24.6	--	24.6	--	--	21.8	24.0	19.2	--	21.1	--
3	--	15.4	18.6	9.1	--	13.0	--	--	16.1	15.5	16.7	--	16.2	--
4	--	17.3	26.0	0.0	--	13.0	--	--	9.5	9.5	9.3	--	9.2	--
5 or more	--	23.0	10.2	48.4	--	28.2	--	--	20.7	16.3	26.2	--	20.5	--

Note: The symbol "--" indicates that data are not available.

Table 11. Percentages of Putnam County and Florida Statewide youth who reported drinking alcohol, smoking marijuana, or using another drug to get high before or during school in the past 12 months, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Drinking alcohol	6.3	10.6	7.9	9.1	7.0	10.2	8.5	4.0	6.1	5.9	4.4	4.2	6.1	5.2
Smoking marijuana	6.8	13.4	10.4	9.7	6.1	13.0	10.2	4.0	13.6	9.9	9.1	4.5	13.9	9.5
Using another drug to get high	2.7	2.4	2.8	2.1	2.8	2.8	2.6	2.6	4.2	3.8	3.2	2.8	4.2	3.5

Table 12. Percentages of Putnam County and Florida Statewide youth who reported engaging in delinquent behavior within the past 12 months, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Carrying a handgun	10.5	8.7	7.6	11.8	9.9	10.1	9.6	6.2	6.0	3.6	8.6	6.0	5.9	6.1
Selling drugs	3.6	1.4	1.0	4.2	2.9	1.7	2.5	1.6	4.5	2.3	4.2	1.6	4.5	3.3
Attempting to steal a vehicle	2.8	1.9	2.4	2.3	2.9	2.2	2.4	1.3	1.6	1.1	1.8	1.3	1.5	1.5
Being arrested	3.4	1.2	1.9	2.7	2.9	2.0	2.3	2.2	2.3	1.8	2.7	2.1	2.3	2.3
Taking a handgun to school	0.6	0.8	0.5	0.9	0.5	0.1	0.7	0.4	0.7	0.4	0.8	0.5	0.6	0.6
Getting suspended	18.5	13.8	13.4	19.2	17.6	15.6	16.1	13.7	10.0	9.2	14.1	13.0	10.3	11.6
Attacking someone with intent to harm	6.3	9.3	9.7	5.8	6.9	9.7	7.8	8.3	5.5	5.8	7.6	7.8	5.6	6.7

Table 13. Trends in delinquent behaviors for Putnam County, 2010 to 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
Carrying a handgun	6.6	8.2	7.4	8.0	13.8	11.0	9.7	7.3	8.5	10.1	11.3	10.8	6.8	6.9	6.8	10.5	8.7	9.6
Selling drugs	6.9	9.6	8.3	5.3	7.8	6.6	3.9	9.8	6.9	2.5	5.1	3.9	3.1	3.9	3.5	3.6	1.4	2.5
Attempting to steal a vehicle	1.6	4.8	3.3	0.7	7.3	4.2	2.2	1.4	1.8	1.0	2.4	1.7	1.9	2.6	2.3	2.8	1.9	2.4
Being arrested	5.8	6.4	6.2	3.3	4.1	3.7	2.2	1.5	1.9	2.1	2.2	2.2	4.3	2.5	3.3	3.4	1.2	2.3
Taking a handgun to school	1.6	2.5	2.1	0.6	3.7	2.2	1.0	0.5	0.7	0.2	1.0	0.6	1.2	0.8	1.0	0.6	0.8	0.7
Getting suspended	20.9	11.8	16.1	12.7	28.7	21.0	14.2	12.1	13.1	14.1	13.7	13.8	14.5	9.3	11.6	18.5	13.8	16.1
Attacking someone with intent to harm	13.6	12.7	13.1	6.6	12.5	9.7	9.0	7.7	8.3	8.0	5.3	6.5	13.7	7.8	10.4	6.3	9.3	7.8

Table 14. Percentages of Putnam County and Florida Statewide youth who reported symptoms of depression, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Sometimes I think that life is not worth it	30.5	36.3	46.8	20.1	30.2	38.0	33.5	29.9	31.4	39.5	21.9	29.9	31.7	30.7
At times I think I am no good at all	46.1	45.9	59.6	32.3	45.0	50.2	46.0	44.7	44.6	55.8	33.5	44.8	45.2	44.7
All in all, I am inclined to think that I am a failure	31.3	34.1	44.5	20.7	30.8	39.2	32.7	28.8	28.6	36.6	20.8	28.5	29.0	28.7
In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?	50.1	46.6	62.8	33.8	48.0	51.2	48.3	44.5	47.6	57.0	35.5	44.6	48.0	46.2

Table 15. Percentages of Putnam County and Florida Statewide youth who reported involvement in bullying behavior, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Skipped school because of bullying	14.0	13.8	20.3	7.4	13.6	13.1	13.9	8.8	9.7	13.3	5.4	8.8	9.8	9.3
Was ever kicked or shoved	46.7	26.4	40.4	32.1	43.8	27.9	36.1	39.8	24.8	30.7	31.9	38.8	24.8	31.4
Was ever taunted or teased	67.8	51.4	66.7	51.9	66.4	51.3	59.2	64.1	51.4	61.4	52.6	63.5	51.9	57.0
Was ever a victim of cyber bullying	26.2	29.9	39.0	18.0	25.4	29.7	28.2	25.7	29.0	35.0	20.4	26.1	29.2	27.5
Ever physically bullied others	26.2	16.3	21.8	20.3	25.0	18.2	21.0	22.4	12.5	14.2	19.3	21.3	12.6	16.8
Ever verbally bullied others	37.7	26.2	31.8	31.8	37.7	23.5	31.7	33.4	25.8	26.8	31.3	32.9	26.1	29.1
Ever cyber bullied others	13.0	14.9	14.7	13.3	12.6	15.1	14.0	11.2	12.4	12.3	11.5	11.4	12.4	11.9

Table 16. Percentages of Putnam County and Florida Statewide high school youth who reported adverse childhood experiences (ACEs), 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
Emotional abuse	--	15.9	22.8	8.3	--	16.4	--	--	15.7	20.8	10.6	--	15.7	--
Physical abuse	--	9.6	13.2	5.6	--	9.3	--	--	10.5	11.9	9.1	--	10.5	--
Sexual abuse	--	5.9	10.7	0.5	--	7.3	--	--	5.5	8.7	2.2	--	5.7	--
Parents separated or divorced	--	40.0	45.5	33.3	--	42.2	--	--	40.1	43.1	37.1	--	40.6	--
Physical abuse in household	--	8.8	10.7	6.7	--	8.9	--	--	8.8	11.0	6.6	--	8.6	--
Substance abuse in household	--	34.8	42.2	26.3	--	38.4	--	--	26.8	30.3	23.1	--	26.5	--
Mental illness in household	--	33.0	41.2	24.2	--	35.7	--	--	30.5	38.0	22.8	--	30.6	--
Incarcerated household member	--	31.1	36.9	24.9	--	33.4	--	--	26.8	29.3	24.3	--	26.6	--
Emotional neglect	--	34.6	44.7	23.2	--	37.1	--	--	29.2	36.6	21.7	--	29.1	--
Physical neglect	--	10.4	14.9	5.5	--	12.8	--	--	7.4	8.7	6.1	--	7.2	--

Table 17. Number of adverse childhood experiences (ACEs) reported by Putnam County and Florida Statewide high school youth, 2020

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
No ACEs reported	--	29.2	22.8	36.3	--	22.2	--	--	32.1	25.8	38.4	--	31.7	--
1 ACE	--	19.8	14.8	25.3	--	22.2	--	--	21.0	20.0	22.1	--	21.4	--
2 ACEs	--	17.1	17.5	16.8	--	17.7	--	--	14.3	14.5	14.0	--	14.4	--
3 ACEs	--	9.9	10.0	9.4	--	11.9	--	--	10.9	12.1	9.8	--	10.8	--
4 ACEs	--	6.4	9.5	3.0	--	7.7	--	--	8.1	9.9	6.3	--	7.9	--
5 ACEs	--	5.6	7.1	4.0	--	5.5	--	--	5.7	6.9	4.5	--	5.8	--
6 ACEs	--	6.6	9.5	3.4	--	7.9	--	--	3.7	5.0	2.4	--	3.8	--
7 ACEs	--	2.1	3.9	0.3	--	2.0	--	--	2.1	2.8	1.2	--	2.0	--
8 ACEs	--	2.6	3.5	1.7	--	2.0	--	--	1.3	1.7	0.8	--	1.2	--
9 ACEs	--	0.4	0.8	0.0	--	0.5	--	--	0.6	0.9	0.2	--	0.6	--
10 ACEs	--	0.3	0.6	0.0	--	0.4	--	--	0.3	0.4	0.2	--	0.3	--

Note: Each respondent receives an ACEs score, which is the number of adverse childhood experiences he or she reported. This table shows the frequency distribution of the ACEs score across the sample. Percentages total to 100% down each column. Rounding can produce totals that do not equal 100%.

Table 18. Percentages of Putnam County and Florida Statewide youth who “agree” or “strongly agree” with statements indicating impulsiveness or a lack of self-control, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
I often do what brings me pleasure now	26.5	26.6	27.4	25.5	27.0	27.5	26.5	32.0	28.8	30.9	29.4	31.5	29.2	30.2
I'm more concerned with the short run	26.4	23.9	26.3	23.8	23.9	28.7	25.1	28.1	23.1	26.8	23.8	27.6	23.1	25.3
Getting in trouble is exciting	29.2	30.1	33.8	25.1	29.4	29.6	29.7	27.5	28.2	29.1	26.6	27.6	28.8	27.9
Excitement is more important than security	21.6	21.2	21.9	20.7	21.6	21.1	21.4	25.1	23.9	23.3	25.5	25.0	24.3	24.4
People better stay away from me when I'm really angry	40.1	31.1	42.2	28.5	37.5	33.9	35.5	35.7	29.7	35.1	29.6	34.8	30.0	32.3
I get upset when I have a disagreement with someone	48.2	40.8	51.6	36.9	46.3	43.0	44.5	48.7	37.9	49.9	35.3	47.9	38.3	42.6

Note: The symbol “-” indicates that data are not available.

Table 19. Percentages of Putnam County and Florida Statewide youth who reported participation in extracurricular activities, 2020

	Putnam County							Florida Statewide						
	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Female</i>	<i>Male</i>	<i>Ages 10-14</i>	<i>Ages 15-17</i>	<i>Total</i>
School Sports	34.7	46.3	44.0	38.0	37.0	47.5	40.8	36.6	38.4	34.5	40.8	37.0	38.7	37.6
Organized Sports Outside of School	29.7	22.3	22.9	28.7	30.0	21.5	25.8	39.4	22.7	27.9	32.4	38.1	23.1	30.1
School Band	15.8	10.9	13.0	13.6	15.0	10.8	13.3	15.6	7.8	11.1	11.3	14.9	7.6	11.2
School Club(s)	14.4	28.4	26.2	17.5	15.0	27.9	21.7	22.7	31.5	35.3	20.2	23.0	31.8	27.6
Community Club(s)	8.0	13.0	11.7	9.6	8.5	11.6	10.6	8.6	12.8	13.8	8.3	8.7	12.5	11.0

Table 20. Percentages of high school students who reported *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, among Putnam County and Florida Statewide youth, 2020

	Putnam County							Florida Statewide						
	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total	Middle School	High School	Female	Male	Ages 10-14	Ages 15-17	Total
<i>Riding in a vehicle</i>														
Alcohol	--	20.7	23.3	18.3	--	20.9	--	--	14.7	16.2	13.3	--	14.8	--
Marijuana	--	26.8	30.0	23.8	--	26.7	--	--	22.1	24.0	20.2	--	21.8	--
<i>Driving a vehicle</i>														
Alcohol	--	5.4	3.6	7.2	--	4.5	--	--	4.1	3.6	4.6	--	3.8	--
Marijuana	--	10.0	10.9	9.1	--	9.6	--	--	9.0	8.2	9.8	--	8.8	--

Note: The symbol "--" indicates that data are not available.

Table 21. Trends for high school students *riding in* a vehicle within the past 30 days driven by someone who had been drinking alcohol or using marijuana, or *driving* a vehicle within the past 30 days after drinking alcohol or using marijuana, for Putnam County, 2012 and 2020

	2010			2012			2014			2016			2018			2020		
	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>	<i>Middle School</i>	<i>High School</i>	<i>Total</i>
<i>Riding in a vehicle</i>																		
Alcohol	--	--	--	--	40.1	--	--	25.6	--	--	25.8	--	--	17.8	--	--	20.7	--
Marijuana	--	--	--	--	42.3	--	--	30.3	--	--	29.7	--	--	25.0	--	--	26.8	--
<i>Driving a vehicle</i>																		
Alcohol	--	--	--	--	12.5	--	--	9.8	--	--	8.2	--	--	4.9	--	--	5.4	--
Marijuana	--	--	--	--	13.8	--	--	14.3	--	--	11.1	--	--	11.5	--	--	10.0	--

Note: The symbol "--" indicates that data are not available.

Table 22. Protective factor prevalence rates for Putnam County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Putnam County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Family	Family Opportunities for Prosocial Involvement	54	55	57	57	59	54
	Family Rewards for Prosocial Involvement	52	52	50	53	54	55
School	School Opportunities for Prosocial Involvement	47	57	51	60	57	60
	School Rewards for Prosocial Involvement	38	59	44	54	53	58
Peer and Individual	Religiosity	47	53	42	52	56	62
Average Prevalence Rate		48	55	49	55	56	58

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 23. Risk factor prevalence rates for Putnam County, Florida Statewide youth and the national normative database, 2020

Domain	Scale	Putnam County		Florida Statewide		National Norms	
		<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>	<i>Middle School</i>	<i>High School</i>
Community	Laws and Norms Favorable to Drug Use	46	38	41	32	42	42
	Perceived Availability of Drugs	39	18	34	20	45	45
	Perceived Availability of Handguns	29	32	23	31	25	42
Family	Poor Family Management	41	38	43	35	44	45
	Family Conflict	45	34	42	34	42	37
School	Poor Academic Performance	49	47	46	46	45	48
	Lack of Commitment to School	76	59	69	63	47	46
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	48	36	49	38	40	46
	Favorable Attitudes toward ATOD Use	42	35	35	32	39	45
	Early Initiation of Drug Use	23	23	24	17	41	46
Average Prevalence Rate		44	36	41	35	41	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 24. Protective factor prevalence rate trends among middle school students for Putnam County, 2010 to 2020

Domain	Scale	Putnam County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	49	51	50	56	57	54
	Family Rewards for Prosocial Involvement	44	46	47	48	53	52
School	School Opportunities for Prosocial Involvement	47	51	53	52	52	47
	School Rewards for Prosocial Involvement	43	52	49	51	50	38
Peer and Individual	Religiosity	51	48	42	49	46	47
Average Prevalence Rate		47	50	48	51	52	48

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 25. Risk factor prevalence rate trends among middle school students for Putnam County, 2010 to 2020

Domain	Scale	Putnam County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	64	52	49	55	57	46
	Perceived Availability of Drugs	50	44	49	48	36	39
	Perceived Availability of Handguns	33	31	38	34	29	29
Family	Poor Family Management	61	50	48	51	50	41
	Family Conflict	44	41	42	40	39	45
School	Poor Academic Performance	46	43	44	45	45	49
	Lack of Commitment to School	56	46	60	54	54	76
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	48	42	43	44	46	48
	Favorable Attitudes toward ATOD Use	51	41	49	43	46	42
	Early Initiation of Drug Use	52	38	35	31	30	23
Average Prevalence Rate		51	43	46	45	43	44

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 26. Protective factor prevalence rate trends among high school students for Putnam County, 2010 to 2020

Domain	Scale	Putnam County					
		2010	2012	2014	2016	2018	2020
Family	Family Opportunities for Prosocial Involvement	53	48	52	53	51	55
	Family Rewards for Prosocial Involvement	47	47	48	49	47	52
School	School Opportunities for Prosocial Involvement	45	31	48	49	59	57
	School Rewards for Prosocial Involvement	48	44	49	49	57	59
Peer and Individual	Religiosity	59	58	61	62	45	53
Average Prevalence Rate		50	46	52	52	52	55

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.

Table 27. Risk factor prevalence rate trends among high school students for Putnam County, 2010 to 2020

Domain	Scale	Putnam County					
		2010	2012	2014	2016	2018	2020
Community	Laws and Norms Favorable to Drug Use	49	54	44	45	42	38
	Perceived Availability of Drugs	41	49	36	36	24	18
	Perceived Availability of Handguns	49	57	49	50	43	32
Family	Poor Family Management	55	64	43	46	38	38
	Family Conflict	31	31	33	34	36	34
School	Poor Academic Performance	48	57	50	48	44	47
	Lack of Commitment to School	57	55	58	58	55	59
Peer and Individual	Favorable Attitudes toward Antisocial Behavior	40	50	39	41	41	36
	Favorable Attitudes toward ATOD Use	40	49	44	47	42	35
	Early Initiation of Drug Use	38	44	33	31	25	23
Average Prevalence Rate		45	51	43	44	39	36

Note: Because risk is associated with negative behavioral outcomes, it is better to have lower risk factor scale scores, not higher. Conversely, because protective factors are associated with better student behavioral outcomes, it is better to have protective factor scale scores with high values.